

**Consensus OB/GYN Measures
Version 1.0**

OB/GYN Core Measure Set for Ambulatory Care Setting			
NQF #	Measure	Measure Steward	Consensus Agreement / Notes
1391	Frequency of Ongoing Prenatal Care	NCQA	Consensus to include in core set; measure to be used at the physician level only.
0032	Cervical Cancer Screening	NCQA	Consensus to include in core set.
N/A	Non-recommended Cervical Cancer Screening in Adolescent Females	NCQA	Consensus to include in core set. <i>Note:</i> Use HEDIS specifications.
1395	Chlamydia Screening and Follow Up	NCQA	Consensus to include in core set.
2372	Breast Cancer Screening	NCQA	Consensus to include in core set; measure to be used at the physician level only.
0567	Appropriate Work Up Prior to Endometrial Ablation Procedure	Health Benchmarks -IMS Health	Consensus to include in core set; measure to be used at the physician level only.

OB/GYN Core Measures for Hospital / Acute Care Settings			
NQF #	Measure	Measure Steward	Notes & Comments
0470	Incidence of Episiotomy	Christiana Care Health System	Consensus to include in core set.
0469	PC-01 Elective Delivery (Patients with elective vaginal deliveries or elective cesarean	The Joint Commission	Consensus to include in core set.

**Consensus OB/GYN Measures
Version 1.0**

OB/GYN Core Measures for Hospital / Acute Care Settings			
NQF #	Measure	Measure Steward	Notes & Comments
	sections at ≥ 37 and < 39 weeks of gestation completed)		
0471	PC-02 Cesarean Section (Nulliparous women with a term, singleton baby in a vertex position delivered by cesarean section)	The Joint Commission	Consensus to include in core set.
0476	PC-03 Antenatal Steroids (Patients at risk of preterm delivery at ≥ 24 and < 32 weeks gestation receiving antenatal steroids prior to delivering preterm newborns)	The Joint Commission	Consensus to include in core set.
0480	PC-05 Exclusive Breast Milk Feeding and the subset measure (The measure is reported as an overall rate which includes all newborns that were exclusively fed breast milk during the entire hospitalization, and a second rate, a subset of the first, which includes only those newborns that were	The Joint Commission	Consensus to include in core set.

**Consensus OB/GYN Measures
Version 1.0**

OB/GYN Core Measures for Hospital / Acute Care Settings			
NQF #	Measure	Measure Steward	Notes & Comments
	exclusively fed breast milk during the entire hospitalization excluding those whose mothers chose not to breast feed.)		

Future Areas for Measure Development
<ul style="list-style-type: none"> • Physician-level Urinary Incontinence (NCQA’s physician-level UI measure did not receive endorsement and NCQA indicated they had no future plans to revise or update measure at this time). • Cesarean Section (including time of decision for c-section and surgery start time). Data not available via claims. • Tdap/Influenza Administration in Pregnancy (Upcoming from CDC). Need to consider data capture methods to measure vaccinations outside of typical medical settings. • P22 - HIV Screening of STI patients: Percentage of patients diagnosed with an acute STI who were tested for HIV. Considerations regarding age limit and child/adolescent privacy are necessary.