

Medicaid and CHIP (MAC) Scorecard Committee In-Person Meeting

Welcome

MAC Scorecard NQF Project Team

- Debjani Mukherjee, Senior Director
- Ashlie Wilbon, Senior Director
- Shaconna Gorham, Senior Project Manager
- Miranda Kuwahara, Project Manager
- Jordan Hirsch, Project Analyst

Welcome

Restrooms

Exit main conference area, past elevators, on right.

Breaks

- 10:40am 15 minutes
- 12:45pm Lunch provided by NQF

Laptops and cell phones


- Wi-Fi network
 - » User name: guest
 - » Password: NQFguest
- Please mute your cell phone during the meeting

Public comment period

- Dedicated times for public comment
- Comment via chat box at any time and comments will be shared during dedicated times

Review of Meeting Objectives

Meeting Objectives



Introductions of Committee Members and Disclosures of Interest

MAC Scorecard Committee Membership

Committee Chairs (voting)

Harold Pincus, MD

Richard Antonelli, MD

Organizational Members (voting)	Organizational Representative
Aetna Medicaid	Stephanie A. Whyte MD, MBA, CHCQM, CHIE
American Association on Health and Disability	Clarke Ross, DPA
American Association of Nurse Practitioners (AANP)	Sue Kendig, JD, WHNP-BC, FAAPN
American Nurses Association (ANA)	Rhonda Anderson, RN
American Occupational Therapy Association	Joy Hammel, PhD
Anthem Indiana Medicaid	Carla Zachodni, RN, MBA, CPHQ
Association for Community Affiliated Plans (ACAP)	Enrique Martinez-Vidal, MPP
Children's Hospital Association (CHA)	Sally Turbyville, DRPH, MS, MA
Human Services Research Institute	Julie Bershadsky, PhD
Intermountain Health	Josh Romney, MD
Notice of Accepiation of Medical Directors (NAME)	Elizabeth Matney
National Association of Medicaid Directors (NAMD)	Sarah Brooks
National Association of Pediatric Nurse Practitioners (NAPNAP)	Shayna Dahan, BSN, RN, MSN, CPNP, PMHS
National Partnership for Women & Families	Carol Sakala, PhD, MSPH
Ohio Department of Medicaid	Mary Applegate, MD

MAC Scorecard Committee Membership

Individual Subject Matter Experts (voting)

Kim Elliott, PhD, CPHQ

SreyRam Kuy, MD, MHS, FACS

Julia Logan, MD

Lisa Patton, PhD

Judy Zerzan, MD

Marissa Schlaifer, RPh, MS

Kamala Allen, MHS

David Einzig, MD

Amy Houtrow, MD, PhD, MPH

David Kelley, MD, MPA

Stephen Lawless, BS, MD, MBA, FAAP, FCCM, FSMB

Jill Morrow-Gorton, MD, MBA

Elisabeth Okrant, MPH, MSP, PhD

Kenneth Schellhase, MD, MPH

Jeff Schiff, MD, MBA

Lindsay Cogan, PhD

MAC Scorecard Committee Membership

Federal Government I	Members (non-voting)

Agency	Agency Representative
Agency for Healthcare Research and Quality (AHRQ)	Kamila Mistry, PhD, MPH
Substance Abuse and Mental Health Services Administration	Laura Jacobus-Kantor, PhD
Centers for Medicare & Medicaid Services (CMS)	Marsha Smith, MD, MPH, FAAP
Health Resources and Services Administration	Suma Nair, MS, RD

Measure Selection Criteria Overview

Committee Overview and Key Points from Staff Review of Scorecard

Charge of the MAC Scorecard Committee

The Scorecard Committee is charged with exploring the existing Child and Adult Core Set measures and recommending measures for removal from the Scorecard or recommending measures for addition to the Scorecard that can be used to support the MAC Scorecard's state health system performance pillar.

Potential measures for addition to the Scorecard will focus on addressing the use and usefulness of measure implementation and reporting.

13

MAC Scorecard 1.0

Promote Effective Communication and Coordination of Care Domain

NQF 0576 Follow-Up After Hospitalization for Mental Illness

*NQF 1517 Prenatal and Postpartum Care: Postpartum Care

Make Care Safer by Reducing Harm Caused in the Delivery of Care Domain

Use of Multiple Concurrent Antipsychotics: Ages 1-17

Promote Effective Prevention & Treatment of Chronic Diseases Domain

NQF 1392 Well-Child Visits: First 15 Months

NQF 1516 Well-Child Visits: Ages 3-6

Adolescent Well-Care Visits: Ages 12-21

NQF 1407 Immunizations for Adolescents: Age 13

Percentage of Eligibles Who Received Preventive Dental Services: Ages 1-20

NQF 2940 Use of Opioids at High Dosage in Persons Without Cancer

NQF 0004 Initiation & Engagement of Alcohol & Other Drug Dependence Treatment: Age 18 & Older

NQF 0018 Controlling High Blood Pressure: Ages 18-85

Strengthen Engagement in Care Domain

Getting Care Quickly (CAHPS)

Getting Needed Care (CAHPS)

Make Care Affordable Domain

NQF 0272 PQI 01: Diabetes Short-Term Complications Admission Rate

^{*}Endorsement removed NATIONAL QUALITY FORUM

MAC Scorecard Properties: Pillar One Measure Characteristics


MAC	Scorecard Characteristics	# of Measures (n = 13)
Medicaid & CHIP	Medicaid and CHIP Child Beneficiaries	6
Population	Medicaid Adult Beneficiaries	7
NOT Find a vector and Chatter	Endorsed	8
NQF Endorsement Status	Not Endorsed	5
	Structure	0
	Process	8
Measure Type	Outcome	2
	Patient Experience of Care	1
	Administrative Claims	10
Data Callagtian Mathad*	Electronic Clinical Data	6
Data Collection Method*	eMeasure Available	0
	Survey Data	1

^{*}Data not mutually exclusive

Note: Measure Type and Data Collection Method data unavailable for the following measures: Percentage of Eligibles Who Received Preventive Dental Services: Ages 1-20 and Adolescent Well-Care Visits: Ages 12-21


NATIONAL QUALITY FORUM

Number of States Reporting the Medicaid Child Core Set Measures, FFY2017





Number of States Reporting the Medicaid Adult Core Set Measures, FFY2017



17

Measure Review Process

- Staff compiled Adult and Child Core Set measures into an Excel spreadsheet, providing measure specification information
- Committee members submitted measure recommendations from the universe of measures included in the Excel spreadsheet
- Staff completed a preliminary analysis algorithm on each recommended measure
- Only measures recommended for review by Committee members will be considered
- Measure specifications and preliminary analysis results will be shared during the in-person meeting via an electronic discussion guide

18

Committee Members' Measure Recommendations for Addition and Removal

- Members submitted 50 measure recommendations
 - Number of unique measure recommendations for addition: 19
 - » 2 measures are Scorecard 1.5 candidate measures and 11 measures have fewer than 25 reporting states, thus do not meet the criteria for consideration
 - Number of unique measure recommendations for removal: 6

Measure Recommendations for Addition

NQF#	Title	Core Set
n/a	Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)	Adult
0038*	Childhood Immunization Status (CIS-CH)	Child
0105	Antidepressant Medication Management (AMM-AD)	Adult
0139	Pediatric Central Line-Associated Bloodstream Infections (CLABSI-CH)	Child
1448*	Developmental Screening in the First Three Years of Life (DEV-CH)	Child
1768*	Plan All-Cause Readmissions (PCR-AD)	Adult

^{*} Recommended by more than one member

Measure Recommendations for Removal

Promote Effective Communication and Coordination of Care Domain

^NQF 1517 Prenatal and Postpartum Care: Postpartum Care

Make Care Safer by Reducing Harm Caused in the Delivery of Care Domain

Use of Multiple Concurrent Antipsychotics: Ages 1-17

Promote Effective Prevention & Treatment of Chronic Diseases Domain

NQF 1392 Well-Child Visits: First 15 Months

Adolescent Well-Care Visits: Ages 12-21

*NQF 2940 Use of Opioids at High Dosage in Persons Without Cancer

NQF 0018 Controlling High Blood Pressure: Ages 18-85

^{*} Recommended by more than one member

[^] No longer NQF endorsed

Measure Recommendations for Addition – Not for Discussion

Scorecard 1.5 Candidate Measures

NQF#	Title	Core Set
1932*	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD-AD)	Adult
2372*	Breast Cancer Screening (BCS-AD)	Adult

^{*} Recommended by more than one member Note: The measures presented in the table will not be reviewed.

Measure Recommendations for Addition – Not for Discussion - Measures That Do Not Reach 25 State Minimum Reporting Threshold

NQF#	Title	Core Set
2801	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	Child
2607	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPCMI-AD)	Adult
0418/ 0418e*	Screening for Depression and Follow-Up Plan	Adult/Child
2605*	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (FUA/FUM-AD)	Adult
0027*	Medical assistance with Smoking and Tobacco Use Cessation	Adult
0039*	Flu Vaccinations for Adults Ages 18 to 64	Adult
1800*	Asthma Medication Ratio: Ages 19 to 64	Adult

Measure Recommendations for Addition – Not for Discussion - Measures That Do Not Reach 25 State Minimum Reporting Threshold

NQF#	Title	Core Set
2902	Contraceptive Care – Postpartum Women	Adult/Child
2903/ 2904*	Contraceptive Care – All Women	Adult/Child
1360	Audiological Evaluation no later than 3 months of age	Child
0471	PC-02 Cesarean Birth	Child

Questions?

Key Considerations from CMCS

Questions?

Break

Measure-Specific Recommendations on Strengthening the Scorecard

Measure Review Process

- Staff compiled Adult and Child Core Set measures into an Excel spreadsheet, providing measure specification information
- Committee members submitted measure recommendations from the universe of measures included in the Excel spreadsheet
- Staff completed a preliminary analysis algorithm on each recommended measure
- Only measures recommended for review by Committee members will be considered.
- Measure specifications and preliminary analysis results will be shared during the in-person meeting via an electronic discussion guide

30

Tools Used to Guide Measure Review

MAP's Measure Selection Criteria (MSC)

- NQF-endorsed measures are required for program measure sets, unless no relevant endorsed measures are available to achieve a critical program objective
- Program measure set actively promotes key healthcare improvement priorities, such as those highlighted in CMS' "Meaningful Measures" Framework
- Program measure set is responsive to specific program goals and requirements
- Program measure set includes an appropriate mix of measure types
 - Program measure set enables measurement of person- and family-centered care and services
 - Program measure set includes considerations for healthcare disparities and cultural competency
 - Program measure set promotes parsimony and alignment

MAP Preliminary Analysis Algorithm

- 1) The measure addresses a critical quality objective not adequately addressed by the measures in the program set.
- 2) The measure is evidence-based and is either strongly linked to outcomes or an outcome measure.
- 3) The measure addresses a quality challenge.
- 4) The measure contributes to efficient use of measurement resources and/or supports alignment of measurement across programs.
- 5) The measure can be feasibly reported.
- 6) The measure is applicable to and appropriately specified for the program's intended care setting(s), level(s) of analysis, and population(s).
- 7) If a measure is in current use, no negative unintended issues to the patient have been identified.
- 8) If a measure is in current use, no implementation challenges outweighing the benefit of the measure have been identified.

Review of Voting Process

Voting on Measures

- Committee members who recommended measures for discussion were assigned as lead discussants
 - Lead discussants will introduce the measure, highlighting specifications and its value to the Scorecard
 - Lead discussants will liaise with measure developers to ensure availability during the meeting
- Ensuing discussions will include all Committee members
- Public comments will be solicited after Committee discussions
- After discussion of each measure and public comments, the Committee will vote on the measure

Measure by Measure Review: Measure Recommendations for Removal from the Scorecard

State Health System Performance Pillar 1

- Measure removals will be recommended from the measures included in pillar one
- Measure removal recommendations represent measures in three of the six domains
 - Promote Effective Communication and Coordination of Care Domain -Effective communication and coordination of care between beneficiaries, their families, and providers can prevent harm and promote improved health outcomes.
 - Make Care Safer by Reducing Harm Caused in the Delivery of Care Domain - Preventing harm caused in the delivery of care makes care safer for beneficiaries.
 - Promote Effective Prevention & Treatment of Chronic Diseases Domain - Promoting prevention and treatment of chronic diseases by encouraging activities such as regular screening and immunization helps beneficiaries lead healthier lives and reduces medical costs.

Potential Reasons for Removal from Scorecard

- Consistently high levels of performance (e.g., >95%), indicating little room for additional improvement
- Multiple years of very low numbers of states reporting, indicating low feasibility or low priority of the topic
- Change in clinical evidence has made the measure obsolete
- Measure does not provide actionable information for state Medicaid program and/or its network of plans/providers
- Superior measure on the same topic has become available

Recommendations for Removal from the Scorecard

NQF#	Measure Name	Measure Steward
^1517	Prenatal and Postpartum Care: Postpartum Care	National Committee for Quality Assurance
N/A	Use of Multiple Concurrent Antipsychotics: Ages 1-17	National Committee for Quality Assurance
1392	Well-Child Visits: First 15 Months	National Committee for Quality Assurance
N/A	Adolescent Well-Care Visits: Ages 12-21	National Committee for Quality Assurance
2940	Use of Opioids at High Dosage in Persons Without Cancer	Pharmacy Quality Alliance
0018	Controlling High Blood Pressure: Ages 18-85	National Committee for Quality Assurance

NQF 1517 – Prenatal and Postpartum Care: Postpartum Care

Measure Steward: National Committee for Quality Assurance

QPS Link: http://www.qualityforum.org/QPS/1517

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#2 CACO

N/A – Use of Multiple Concurrent Antipsychotics: Ages 1-17

Measure Steward: National Committee for Quality Assurance

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP%20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#6HARM

NQF 1392 – Well-Child Visits: First 15 Months

Measure Steward: National Committee for Quality Assurance

QPS Link: http://www.qualityforum.org/QPS/1392

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html# 9PREV

N/A –Adolescent Well-Care Visits: Ages 12-21

Measure Steward: National Committee for Quality Assurance

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html# 10PREV

NQF 2940 Use of Opioids at High Dosage in Persons Without Cancer

Measure Steward: Pharmacy Quality Alliance

QPS Link: http://www.qualityforum.org/QPS/2940

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP%20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html# 11PREV

NQF 0018 Controlling High Blood Pressure: Ages 18-85

Measure Steward: National Committee for Quality Assurance

QPS Link: http://www.qualityforum.org/QPS/0018

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html# 12PREV

Opportunity for Public Comment & Break

Review of the Voting Process

Decision Categories

- Committee must reach a decision about every measure discussed
 - Each decision should be accompanied by one or more statements of rationale that explains why each decision was reached
- Decision categories include:
 - » Support
 - » Support with conditions
 - » Do not support
- Tallying the votes:
 - Quorum 66% of Committee required to be present for voting
 - ≥60% of votes denote the result of voting

46

Voting Decision Categories

SUPPORT

- Ready for immediate use
- Relevant to all stages of life
- Outcome measures

CONDITIONAL SUPPORT

- Pending endorsement from NQF
- Pending CMS confirmation of feasibility

DO NOT SUPPORT

- Measure and/or measure focus inappropriate or a poor fit for the Scorecard
- Duplication of efforts
- Resource constraints
- State Medicaid agencies will need to tweak and/or vary the level of analysis to increase measure adoption and implementation

Committee Votes to Recommend Each Measure for Removal

- Vote to support or conditionally support removal of:
 - NQF 1517 Prenatal and Postpartum Care: Postpartum Care
 - N/A Use of Multiple Concurrent Antipsychotics in Children and Adolescents
 - NQF 1392 Well-Child Visits: First 15 Months
 - Adolescent Well-Care Visits: Ages 12-21
 - *NQF 2940 Use of Opioids at High Dosage in Persons Without Cancer
 - NQF 0018 Controlling High Blood Pressure: Ages 18-85

^{*} Recommended by more than one member

[^] No longer NQF endorsed

Lunch

Measure by Measure Review: Potential Gap-Filling Measures for Addition to the Scorecard

Measure Review for Potential Addition to the Scorecard

- Recommendations are guided by the Measure Selection Criteria, feedback from state implementers and Medicaid population specific gap areas not addressed in Scorecard 1.0
- A Medicaid specific algorithm and preliminary analysis was used as a standardized way to organize discussion on potential measure recommendations
- Committee members submitted measure recommendations for strengthening the Scorecard

Measures for Potential Addition to the Scorecard

- All measures recommended to CMS will at a minimum:
 - Satisfy the State Health System Performance pillar and domains
 - Be publicly reported (reported by 25 or more states)
 - Fill a gap area in Scorecard 1.0

State Health System Performance Pillar 1

- Measure additions will be recommended for inclusion in pillar one
- Measure recommendations represent measures in three of the six domains
 - Make Care Safer by Reducing Harm Caused in the Delivery of Care Domain - Preventing harm caused in the delivery of care makes care safer for beneficiaries.
 - Promote Effective Prevention & Treatment of Chronic Diseases Domain - Promoting prevention and treatment of chronic diseases by encouraging activities such as regular screening and immunization helps beneficiaries lead healthier lives and reduces medical costs.
 - Make Care Affordable Domain Making care affordable by optimizing resource use helps Medicaid and CHIP beneficiaries access the care they need and may lead to better health outcomes.

Recommendations for Addition to the Scorecard

NQF #	Measure Name	Measure Steward	Domain
N/A	Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)	and Medicaid Services	Make Care Safer by Reducing Harm Caused in the Delivery of Care
0105	Antidepressant Medication Management (AMM-AD)	National Committee for Quality Assurance	Make Care Safer by Reducing Harm Caused in the Delivery of Care
0139	Pediatric Central Line Associated Bloodstream Infections (CLABSI)	Centers for Disease	Make Care Safer by Reducing Harm Caused in the Delivery of Care

Recommendations for Addition to the Scorecard

NQF #	Measure Name	Measure Steward	Domain
0038	Childhood Immunization Status	National Committee for Quality Assurance	Promote Effective Prevention & Treatment of Chronic Diseases
11/1/1/1	Developmental Screening in the First Three Years of Life	Oregon Health & Science University	Promote Effective Prevention & Treatment of Chronic Diseases
1768		National Committee for Quality Assurance	Make Care Affordable

N/A Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)

Measure Steward: Centers for Medicare and Medicaid Services

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP%20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#3PREV

NQF 0105 Antidepressant Medication Management (AMM-AD)

Measure Steward: National Committee for Quality Assurance

QPS Link: http://www.qualityforum.org/QPS/0105

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#4 HARM

NQF 0139 Pediatric Central Line Associated Bloodstream Infections (CLABSI)

Measure Steward: Centers for Disease Control and Prevention

QPS Link: http://www.qualityforum.org/QPS/0139

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#5 HARM

NQF 0038 Childhood Immunization Status

Measure Steward: National Committee for Quality Assurance

QPS Link: http://www.qualityforum.org/QPS/0038

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#7 PREV

NQF 1448 Developmental Screening in the First Three Years of Life

Measure Steward: Oregon Health & Science University

QPS Link: http://www.qualityforum.org/QPS/1448

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#8 PREV

NQF 1768 Plan All-Cause Readmissions

Measure Steward: National Committee for Quality Assurance

QPS Link: http://www.qualityforum.org/QPS/1768

Discussion Guide Link:

http://publicstaff.qualityforum.org/MAP/Medicaid%20and%20CHIP %20(MAC)%20Scorecard/MAC Scorecard Discussion Guide.html#1 PREV

Opportunity for Public Comment & Break

Review of the Voting Process

Review of Voting Process

Voting on Measures

- Committee members who recommended measures for discussion were assigned as lead discussants
 - Lead discussants will introduce the measure, highlighting specifications and its value to the Scorecard
 - Lead discussants will liaise with measure developers to ensure availability during the meeting
- Ensuing discussions will include all Committee members
- Public comments will be solicited after Committee discussions
- After discussion of each measure and public comments, the Committee will vote on the measure

Decision Categories

- Committee must reach a decision about every measure discussed
 - Each decision should be accompanied by one or more statements of rationale that explains why each decision was reached
- Decision categories include:
 - » Support
 - » Support with conditions
 - » Do not support
- Tallying the votes:
 - Quorum 66% of Committee required to be present for voting
 - ≥60% of votes denote the result of voting

65

Voting Decision Categories

SUPPORT

- Ready for immediate use
- Relevant to all stages of life
- Outcome measures

CONDITIONAL SUPPORT

- Pending endorsement from NQF
- Pending CMS confirmation of feasibility

DO NOT SUPPORT

- Measure and/or measure focus inappropriate or a poor fit for the Scorecard
- Duplication of efforts
- Resource constraints
- State Medicaid agencies will need to tweak and/or vary the level of analysis to increase measure adoption and implementation

Committee Votes to Recommend Each Measure for Inclusion

- Vote to support (or conditionally support) inclusion of:
 - N/A Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)
 - 0105 Antidepressant Medication Management (AMM-AD)
 - 0139 Pediatric Central Line Associated Bloodstream Infections (CLABSI)
 - 0038 Childhood Immunization Status
 - 1448 Developmental Screening in the First Three Years of Life
 - ¹ 1768 Plan All-Cause Readmissions

Adjourn for the Day



Medicaid and CHIP (MAC) Scorecard Committee In-Person Meeting

Day 2: January 11, 2019

Welcome

Welcome

Restrooms

Exit main conference area, past elevators, on right.

Breaks

- 10:40 am 15 minutes
- 12:40 pm 15 minutes

Laptops and cell phones

- Wi-Fi network
 - » User name: guest
 - » Password: NQFguest
- Please mute your cell phone during the meeting

Public comment period

- Dedicated times for public comment
- Comment via chat box at any time and comments will be shared during dedicated times

Ranking of Measure Recommendations

Ranking Measures with Support for Addition

 Committee members will prioritize measures selected for addition (day one). Priority will indicate the order in which the Committee recommends CMS add the measures to the set.

Opportunity for Public Comment & Break

MAC Scorecard Measures to Drive Change in Health System Performance

Discussion Questions

- From the state Medicaid perspective, what health system performance changes do you expect from the Scorecard?
- What aspects of health system performance can be impacted with the Scorecard?
- How can existing Scorecard measures be tweaked to increase impact?
- What state level factors are important for maximizing Scorecard impact on health system performance?

Future Directions for the MAC Scorecard

Discussion Questions

- From the state Medicaid perspective, what do you see the Scorecard evolving in the future?
- How can the evolution be maximized?
- What processes are necessary to foster and facilitate maximize Scorecard evolution?
- How can state's proactively participate in this evolution and maximize Scorecard impact on health system performance?

Opportunity for Public Comment

Next Steps

Important Dates

- January 16: Post-meeting web meeting
- February 25 to March 27: Draft report posted for public comment
- April 25: Post Comment web meeting
- May 29: Strategic Considerations web meeting #1
- June 26: Strategic Considerations web meeting #2
- July 29: Strategic Considerations web meeting #3
- September 9: Final report due to CMCS and made available to the public

81

Project Contact Info

- Email: macscorecard@qualityforum.org
- **NQF phone**: 202-783-1300
- Project page: http://www.qualityforum.org/MAC Scorecard.aspx
- SharePoint site:

http://share.qualityforum.org/Projects/MAC%20Scorecard/SitePages/Home.aspx

Thank You for Participating!