

## Text Description for PCPI eSpecification

<b>Clinical Topic</b>	<b>Adult Major Depressive Disorder</b>
<b>Measure Title</b>	<b>Comprehensive Depression Evaluation: Diagnosis and Severity</b>
<b>Measure #</b>	<b>AMDD-1 / NQF # 0103</b>
<b>Measure Description</b>	Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of major depressive disorder (MDD) with evidence that they met the DSM-IV-TR criteria for MDD AND for whom there is an assessment of depression severity during the visit in which a new diagnosis or recurrent episode was identified
<b>Measurement Period</b>	12 Consecutive Months
<b>Initial Patient Population</b>	All patients aged 18 years and older with a diagnosis of major depressive disorder (MDD)
<b>Denominator Statement</b>	Equals Initial Patient Population seen for a visit in which a new diagnosis or recurrent episode was identified
<b>Denominator Exclusions</b>	None
<b>Numerator Statement</b>	<p>Patients with evidence that they met the DSM-IV-TR criteria for MDD AND for whom there is an assessment of depression severity during the visit in which a new diagnosis or recurrent episode was identified</p> <p><u>Numerator definitions:</u></p> <p>MDD diagnosis: For a diagnosis of MDD a patient must endorse five of nine symptoms, with one of those five being either 1) depressed mood or 2) loss of interest or pleasure. The other symptoms include significant weight loss or gain, or decrease or increase in appetite nearly every day; insomnia or hypersomnia nearly every day; psychomotor agitation or retardation nearly every day; fatigue or loss of energy nearly every day; feelings of worthlessness or guilt nearly every day; diminished ability to think or concentrate, or indecisiveness, nearly every day; and recurrent thoughts of death or suicidal ideation.</p> <p>These symptoms must be present for a duration of 2 weeks or longer and cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.</p> <p>These symptoms must:</p> <ul style="list-style-type: none"> <li>• not meet criteria for a mixed episode,</li> <li>• not be due to the direct physiological effects of a substance (eg, a drug of abuse, a medication) or a general medical condition (eg, hypothyroidism), OR</li> <li>• not be better accounted for by Bereavement, ie, after the loss of a loved one, the symptoms persist for longer than 2 months or are characterized by marked functional impairment, morbid preoccupation with worthlessness, suicidal ideation, psychotic symptoms, or psychomotor retardation.</li> </ul> <p>Severity is judged to be mild, moderate, or severe based on the number of criteria symptoms, the severity of the symptoms, and the degree of functional disability and distress. (DSM-IV-TR 2000). See Supporting Guidelines and Other References for additional information on defining severity levels.</p> <p>Please refer to the most recent version of the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders (DSM) (version IV-TR as of 2012) for more information regarding diagnosing Major Depressive Disorder.</p>
<b>Denominator Exceptions</b>	None

**Adult Major Depressive Disorder**  
Data Requirements Table for PCPI eSpecification

**Measure #1: Comprehensive Depression Evaluation: Diagnosis and Severity**

Measure Component	QDM* Standard Category	QDM* Data Type	Value Set Name	Standard Terminology	OID	Constraints	Comments/Rationale
Supplemental Data Elements	Individual Characteristic	Patient Characteristic	ONC Administrative Sex	HL7 (2.16.840.1.113883.5.1)	2.16.840.1.113762.1.4.1	during measurement period	This data element is collected for the purpose of stratifying results in an effort to highlight disparities.
	Individual Characteristic	Patient Characteristic	Race	CDC	2.16.840.1.114222.4.11.836	during measurement period	This data element is collected for the purpose of stratifying results in an effort to highlight disparities.
	Individual Characteristic	Patient Characteristic	Ethnicity	CDC	2.16.840.1.114222.4.11.837	during measurement period	This data element is collected for the purpose of stratifying results in an effort to highlight disparities.
	Individual Characteristic	Patient Characteristic	Preferred Language	CDC	2.16.840.1.114222.4.11.831	during measurement period	This data element is collected for the purpose of stratifying results in an effort to highlight disparities.
	Individual Characteristic	Patient Characteristic	Payer	Source of Payment Typology	2.16.840.1.113883.221.5	during measurement period	This data element is collected for the purpose of stratifying results in an effort to highlight disparities.
Initial Patient Population	Measure Timing	n/a	Measurement Start Date	n/a	n/a	TBD by Measure Implementer	
	Measure Timing	n/a	Measurement End Date	n/a	n/a	TBD by Measure Implementer	
	Individual Characteristic	Patient Characteristic	Birth Date	LOINC	2.16.840.1.113883.3.560.100.4	starts before the start of measurement period	
	Individual Characteristic	Patient Characteristic	age	Calculation	n/a	starts before the start of measurement period	Measurement start date minus Birth Date must be greater than or equal to 18 years.
	Encounter	Encounter, Performed	Office Visit [Occurrence A]	GROUPING CPT	2.16.840.1.113883.3.464.1003.101.12.1001 2.16.840.1.113883.3.464.1003.101.11.1005	during measurement period	99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215
	Encounter	Encounter, Performed	Outpatient Consultation [Occurrence A]	GROUPING CPT	2.16.840.1.113883.3.464.1003.101.12.1008 2.16.840.1.113883.3.464.1003.101.11.1040	during measurement period	99241, 99242, 99243, 99244, 99245
	Encounter	Encounter, Performed	Emergency Department Visit	GROUPING CPT	2.16.840.1.113883.3.464.1003.101.12.1010 2.16.840.1.113883.3.464.1003.101.11.1050	during measurement period	99281, 99282, 99283, 99284, 99285
	Encounter	Encounter, Performed	Psych Visit - Diagnostic Evaluation [Occurrence A]	GROUPING CPT	500053	during measurement period	90791, 90792
	Encounter	Encounter, Performed	Psych Visit - Psychotherapy [Occurrence A]	GROUPING CPT	500054	during measurement period	90832, 90834, 90837
	Encounter	Encounter, Performed	Psychoanalysis [Occurrence A]	GROUPING CPT	2.16.840.1.113883.3.526.3.1141 2.16.840.1.113883.3.526.2.1243	during measurement period	90845
	Encounter	Encounter, Performed	Face-to-Face Interaction [Occurrence A]	GROUPING SNOMED-CT	2.16.840.1.113883.3.464.1003.101.12.1048 2.16.840.1.113883.3.464.1003.101.11.1216	during measurement period	
	Condition / Diagnosis / Problem	Diagnosis, Active	Major Depressive Disorder-Active [Occurrence A]	GROUPING ICD-9-CM ICD-10-CM SNOMED-CT	500055	starts during [Encounter, Performed - Occurrence A] during measurement period	This value set will NOT include those with a status in remission (unspecified, partial, full) due to the timing of the numerator action.
Denominator	Equals Initial Patient Population						
	Condition / Diagnosis / Problem	Diagnosis, Active	Major Depressive Disorder-Remission	GROUPING ICD-9-CM ICD-10-CM SNOMED-CT	500056	<b>AND NOT</b> starts before start of [Encounter, Performed - Occurrence A] <= 180 days	This value set will only include those with a status in remission (unspecified, partial, full). For a patient to be considered as having MDD in remission, they must exhibit absence of symptoms for 180 days.
	Condition / Diagnosis / Problem	Diagnosis, Inactive	Major Depressive Disorder-Active [Occurrence B]	GROUPING ICD-9-CM ICD-10-CM SNOMED-CT	500055	<b>AND NOT</b> starts before start of [Encounter, Performed - Occurrence A] <= 180 days	If the patient had an inactive diagnosis of MDD for a duration of 180 days prior to [Encounter, Performed - Occurrence A], they will be included in the measure denominator. This is another way to capture a patient in remission.
Denominator Exclusions	None						
Numerator	Symptom	Symptom, Active	Depressed Mood	GROUPING SNOMED-CT	2.16.840.1.113883.3.526.3.1142 2.16.840.1.113883.3.526.2.349	during [Encounter, Performed - Occurrence A]	To meet DSM-IV-TR criteria, the patient must display five of nine symptoms, with one of the five being either depressed mood OR loss of interest/pleasure. For a full listing of the nine symptoms, please reference the measure worksheets.  All data elements in the numerator, with a QDM Data Type of 'Symptom, Active' are symptoms that would meet the DSM-IV-TR criteria and be applied as one of the 5/9 symptoms requirement. The combinations and quantity of symptom types will be captured in the HGMF logic using the function 'Count'.
	Symptom	Symptom, Active	Loss of Interest or Pleasure	GROUPING SNOMED-CT	500025	during [Encounter, Performed - Occurrence A]	
	Symptom	Symptom, Active	Weight Change or Appetite Change	GROUPING SNOMED-CT	500027	during [Encounter, Performed - Occurrence A]	
	Symptom	Symptom, Active	Sleep Disturbances, Hypersomnia or Insomnia	GROUPING SNOMED-CT	500028	during [Encounter, Performed - Occurrence A]	
	Symptom	Symptom, Active	Psychomotor Agitation or Retardation	GROUPING SNOMED-CT	500029	during [Encounter, Performed - Occurrence A]	
	Symptom	Symptom, Active	Fatigue or Loss of Energy	GROUPING SNOMED-CT	500030	during [Encounter, Performed - Occurrence A]	
	Symptom	Symptom, Active	Feelings of Worthlessness or Guilt	GROUPING SNOMED-CT	500031	during [Encounter, Performed - Occurrence A]	
	Symptom	Symptom, Active	Diminished Ability to Think or Concentrate or Indecisiveness	GROUPING SNOMED-CT	500032	during [Encounter, Performed - Occurrence A]	
	Symptom	Symptom, Active	Recurrent Thoughts of Death or Suicidal Ideation	GROUPING SNOMED-CT	500033	during [Encounter, Performed - Occurrence A]	
	Risk Category / Assessment	Risk Category / Assessment	Depression Severity Assessment	GROUPING LOINC	500058	during [Encounter, Performed - Occurrence A]	
	Attribute	Attribute : Result	Qualitative Depression Severity Classification	GROUPING SNOMED-CT	500059	n/a	This value set will include qualitative severity classifications such as mild, moderate, and severe. These qualitative descriptors, when combined with a Depression Severity Assessment, will indicate that an assessment of depression severity was completed.
	Condition / Diagnosis / Problem	Diagnosis, Active	Major Depressive Disorder-Severity Specified	GROUPING ICD-9-CM ICD-10-CM SNOMED-CT	500057	during [Encounter, Performed - Occurrence A]	This value set will NOT include those in remission or those with a severity unspecified.
Denominator Exceptions	None						


# PCPI eSpecification

## Measure Logic for Adult Major Depressive Disorder (MDD): Comprehensive Depression Evaluation: Diagnosis and Severity

**Measure Description:** Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of major depressive disorder (MDD) with evidence that they met the DSM-IV-TR criteria for MDD AND for whom there is an assessment of depression severity during the visit in which a new diagnosis or recurrent episode was identified

**Measurement Period:** 12 Consecutive Months

**PCPI Measure #: AMDD-1 / NQF # : 0103**



See Data Requirements Table for PCPI eSpecification for timing constraints and relationships between data elements.


# PCPI eSpecification

## Measure Logic for Adult Major Depressive Disorder (MDD): Comprehensive Depression Evaluation: Diagnosis and Severity

**Measure Description:** Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of major depressive disorder (MDD) with evidence that they met the DSM-IV-TR criteria for MDD AND for whom there is an assessment of depression severity during the visit in which a new diagnosis or recurrent episode was identified

**Measurement Period:** 12 Consecutive Months

**PCPI Measure #:** AMDD-1 / **NQF # :** 0103



P  
a  
g  
e  
  
2

See Data Requirements Table for PCPI eSpecification for timing constraints and relationships between data elements.


# PCPI eSpecification

## Measure Logic for Adult Major Depressive Disorder (MDD): Comprehensive Depression Evaluation: Diagnosis and Severity

**Measure Description:** Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of major depressive disorder (MDD) with evidence that they met the DSM-IV-TR criteria for MDD AND for whom there is an assessment of depression severity during the visit in which a new diagnosis or recurrent episode was identified

**Measurement Period:** 12 Consecutive Months

**PCPI Measure #: AMDD-1 / NQF # : 0103**



See Data Requirements Table for timing constraints and relationship between data elements.


# PCPI eSpecification

## Measure Logic for Adult Major Depressive Disorder (MDD): Comprehensive Depression Evaluation: Diagnosis and Severity

**Measure Description:** Percentage of patients aged 18 years and older with a new diagnosis or recurrent episode of major depressive disorder (MDD) with evidence that they met the DSM-IV-TR criteria for MDD AND for whom there is an assessment of depression severity during the visit in which a new diagnosis or recurrent episode was identified

**Measurement Period:** 12 Consecutive Months

**PCPI Measure #: AMDD-1 / NQF # : 0103**



See Data Requirements Table for timing constraints and relationship between data elements.

## Measure Performance Rate Calculation:

$$\frac{N}{(D - EXCL - EXCEP)} = \text{Performance Rate}$$

**(D- EXCL – EXCEP)**

The PCPI strongly recommends that exception rates also be computed and reported alongside performance rates as follows:

## Measure Exception Rate Calculation:

$$\frac{EXCEP}{(D - EXCL)} = \text{Exception Rate}$$

### Exception Types:

EXCEP= E1 (Medical Exceptions) + E2 (Patient Exceptions) + E3 (System Exceptions)

**For patients who have more than one valid exception, only one exception should be counted when calculating the exception rate.**

Initial Patient Population (IPP)	Denominator (D)	Exclusions (EXCL)	Numerator (N)	Exceptions (EXCEP)
<b>Definition:</b> The group of patients that a set of performance measures is designed to address; usually focused on a specific clinical condition (e.g., coronary artery disease, asthma). For example, a patient aged 18 years and older with a diagnosis of CAD who has at least 2 visits during the measurement period.	<b>Definition:</b> The specific group of patients for inclusion in a specific performance measure based on specific criteria (e.g., patient's age, diagnosis, prior MI). In some cases, the denominator may be identical to the initial patient population.	<b>Definition:</b> The specific group of patients who should be subtracted from the measure population and denominator before determining if the numerator criteria are met.	<b>Definition:</b> The group of patients in the denominator for whom a process or outcome of care occurs (e.g., flu vaccine received).	<b>Definition:</b> The valid reasons why patients who are included in the denominator population did not receive a process or outcome of care (described in the numerator). Patients may have Exceptions for medical reasons (e.g., patient has an egg allergy so they did not receive flu vaccine); patient reasons (e.g., patient declined flu vaccine); or system reasons (e.g., patient did not receive flu Vaccine due to vaccine shortage). These cases are subtracted from the denominator population for the performance calculation, however the number of patients with valid exceptions should be calculated and reported. This group of patients constitutes the Exception reporting population – patients for whom the numerator was not achieved and a there is a valid Exception.
Find the patients who meet the Initial Patient Population criteria (IPP)	Find the patients who qualify for the Denominator (D): From the patients within the Patient Population criteria (IPP) select those people who meet Denominator selection criteria.  (In some cases the IPP and D are identical).	Find the patients who qualify for the Exclusion: (EXCL): From the patients within the Denominator criteria, select those patients who meet Exclusion criteria. The patients meeting exclusion criteria should be removed from the Denominator.	Find the patients who qualify for the Numerator (N): From the patients within the Denominator (D) criteria, select those people who meet Numerator selection criteria. Validate that the number of patients in the numerator is less than or equal to the number of patients in the denominator.	From the patients who did not meet the Numerator criteria, determine if the patient meets any criteria for the Exception (E1 + E2+E3). If they meet any criteria, they should be removed from the Denominator for performance calculation. As a point of reference, these cases are removed from the denominator population for the performance calculation, however the number of patients with valid exceptions should be calculated and reported.

Copyright 2012 American Medical Association. All Rights Reserved.

Physician Performance Measures (Measures) and related data specifications have been developed by the American Medical Association (AMA) - convened Physician Consortium for Performance Improvement(R) (the PCPI[TM]) and the National Committee for Quality Assurance (NCQA). These Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications. The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the AMA, (on behalf of the PCPI) or NCQA. Neither the AMA, NCQA, PCPI nor its members shall be responsible for any use of the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, NCQA, the PCPI and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT[R]) or other coding contained in the specifications.

CPT(R) contained in the Measure specifications is copyright 2004-2011 American Medical Association.

LOINC(R) copyright 2004-2011 Regenstrief Institute, Inc.

This material contains SNOMED Clinical Terms(R) (SNOMED CT[R]) copyright 2004-2011 International Health Terminology Standards Development Organisation. ICD-10 copyright 2011 World Health Organization. All Rights Reserved.

Due to technical limitations, registered trademarks are indicated by (R) or [R] and unregistered trademarks are indicated by (TM) or [TM].



**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
National Library of Medicine	2.16.840.1.113762.1.4.1	ONC Administrative Sex	Individual Characteristic	Administrative Sex	HL7 v2.5	F	Female
National Library of Medicine	2.16.840.1.113762.1.4.1	ONC Administrative Sex	Individual Characteristic	Administrative Sex	HL7 v2.5	M	Male
National Library of Medicine	2.16.840.1.113762.1.4.1	ONC Administrative Sex	Individual Characteristic	Administrative Sex	HL7 v2.5	U	Unknown
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	1	MEDICARE
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	2	MEDICAID
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3	OTHER GOVERNMENT (Federal/State/Local) (excluding Department of Corrections)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	4	DEPARTMENTS OF CORRECTIONS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	5	PRIVATE HEALTH INSURANCE
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	6	BLUE CROSS/BLUE SHIELD
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	7	MANAGED CARE, UNSPECIFIED(to be used only if one can't distinguish public from private)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	8	NO PAYMENT from an Organization/Agency/Program/Private Payer Listed
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	9	MISCELLANEOUS/OTHER
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	11	Medicare (Managed Care)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	12	Medicare (Non-managed Care)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	19	Medicare Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	21	Medicaid (Managed Care)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	22	Medicaid (Non-managed Care Plan)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	23	Medicaid/SCHIP
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	24	Medicaid Applicant
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	25	Medicaid - Out of State
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	29	Medicaid Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	31	Department of Defense
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	32	Department of Veterans Affairs
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	33	Indian Health Service or Tribe
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	34	HRSA Program
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	35	Black Lung
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	36	State Government
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	37	Local Government
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	38	Other Government (Federal, State, Local not specified)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	39	Other Federal
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	41	Corrections Federal
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	42	Corrections State
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	43	Corrections Local
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	44	Corrections Unknown Level
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	51	Managed Care (Private)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	52	Private Health Insurance - Indemnity
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	53	Managed Care (private) or private health insurance (indemnity), not otherwise specified
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	54	Organized Delivery System
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	55	Small Employer Purchasing Group
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	59	Other Private Insurance
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	61	BC Managed Care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	62	BC Indemnity
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	63	BC (Indemnity or Managed Care) - Out of State
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	64	BC (Indemnity or Managed Care) - Unspecified
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	69	BC (Indemnity or Managed Care) - Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	71	HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	72	PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	73	POS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	79	Other Managed Care, Unknown if public or private
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	81	Self-pay
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	82	No Charge
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	83	Refusal to Pay/Bad Debt
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	84	Hill Burton Free Care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	85	Research/Donor
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	89	No Payment, Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	91	Foreign National
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	92	Other (Non-government)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	93	Disability Insurance
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	94	Long-term Care Insurance
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	95	Worker's Compensation

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	96	Auto Insurance (no fault)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	98	Other specified (includes Hospice - Unspecified plan)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	99	No Typology Code available for payment source
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	111	Medicare HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	112	Medicare PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	113	Medicare POS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	119	Medicare Managed Care Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	121	Medicare FFS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	122	Drug Benefit
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	123	Medicare Medical Savings Account (MSA)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	129	Medicare Non-managed Care Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	211	Medicaid HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	212	Medicaid PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	213	Medicaid PCCM (Primary Care Case Management)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	219	Medicaid Managed Care Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	311	TRICARE (CHAMPUS)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	312	Military Treatment Facility
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	313	Dental --Stand Alone
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	321	Veteran care--Care provided to Veterans
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	322	Non-veteran care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	331	Indian Health Service - Regular
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	332	Indian Health Service - Contract
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	333	Indian Health Service - Managed Care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	334	Indian Tribe - Sponsored Coverage
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	341	Title V (MCH Block Grant)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	342	Migrant Health Program
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	343	Ryan White Act
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	349	Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	361	State SCHIP program (codes for individual states)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	362	Specific state programs (list/ local code)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	369	State, not otherwise specified (other state)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	371	Local - Managed care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	372	FFS/Indemnity
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	379	Local, not otherwise specified (other local, county)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	381	Federal, State, Local not specified managed care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	382	Federal, State, Local not specified - FFS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	389	Federal, State, Local not specified - Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	511	Commercial Managed Care - HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	512	Commercial Managed Care - PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	513	Commercial Managed Care - POS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	514	Exclusive Provider Organization
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	515	Gatekeeper PPO (GPPO)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	519	Managed Care, Other (non HMO)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	521	Commercial Indemnity
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	522	Self-insured (ERISA) Administrative Services Only (ASO) plan
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	523	Medicare supplemental policy (as second payer)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	529	Private health insurance--other commercial Indemnity
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	611	BC Managed Care - HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	612	BC Managed Care - PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	613	BC Managed Care - POS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	619	BC Managed Care - Other
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	821	Charity
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	822	Professional Courtesy
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	823	Hispanic or Latino
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	951	Worker's Comp HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	953	Worker's Comp Fee-for-Service
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	954	Worker's Comp Other Managed Care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	959	Worker's Comp, Other unspecified
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3111	TRICARE Prime--HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3112	TRICARE Extra--PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3113	TRICARE Standard - Fee For Service
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3114	TRICARE For Life--Medicare Supplement
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3115	TRICARE Reserve Select
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3116	Uniformed Services Family Health Plan (USFHP) -- HMO

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3119	Department of Defense - (other)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3121	Enrolled Prime--HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3122	Non-enrolled Space Available
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3123	TRICARE For Life (TFL)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3211	Direct Care--Care provided in VA facilities
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3212	Indirect Care--Care provided outside VA facilities
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3221	Civilian Health and Medical Program for the VA (CHAMPVA)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3222	Spina Bifida Health Care Program (SB)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3223	Children of Women Vietnam Veterans (CWVV)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3229	Other non-veteran care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3711	HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3712	PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3713	POS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3811	Federal, State, Local not specified - HMO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3812	Federal, State, Local not specified - PPO
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3813	Federal, State, Local not specified - POS
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	3819	Federal, State, Local not specified - not specified managed care
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	9999	Unavailable / Unknown
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	32121	Fee Basis
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	32122	Foreign Fee/Foreign Medical Program(FMP)
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	32123	Contract Nursing Home/Community Nursing Home
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	32124	State Veterans Home
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	32125	Sharing Agreements
PHDSC	2.16.840.1.113883.221.5	Payer	Individual Characteristic	Source of Payment Typology	4.0	32126	Other Federal Agency
CDC NCHS	2.16.840.1.114222.4.11.836	Race	Individual Characteristic	CDC	1.0	1002-5	American Indian or Alaska Native
CDC NCHS	2.16.840.1.114222.4.11.836	Race	Individual Characteristic	CDC	1.0	2028-9	Asian
CDC NCHS	2.16.840.1.114222.4.11.836	Race	Individual Characteristic	CDC	1.0	2054-5	Black or African American
CDC NCHS	2.16.840.1.114222.4.11.836	Race	Individual Characteristic	CDC	1.0	2076-8	Native Hawaiian or Other Pacific Islander
CDC NCHS	2.16.840.1.114222.4.11.836	Race	Individual Characteristic	CDC	1.0	2106-3	White
CDC NCHS	2.16.840.1.114222.4.11.836	Race	Individual Characteristic	CDC	1.0	2131-1	Other Race
CDC NCHS	2.16.840.1.114222.4.11.837	Ethnicity	Individual Characteristic	CDC	1.0	2135-2	Hispanic or Latino
CDC NCHS	2.16.840.1.114222.4.11.837	Ethnicity	Individual Characteristic	CDC	1.0	2186-5	Not Hispanic or Latino
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	abk	Abkhazian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ace	Achinese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ach	Acoli
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ada	Adangme
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ady	Adyghe; Adygai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	aar	Afar
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	afh	Afrihili
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	afr	Afrikaans
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	afa	Afro-Asiatic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ain	Ainu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	aka	Akan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	akk	Akkadian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	alb	Albanian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ale	Aleut
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	alg	Algonquian languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tut	Altaic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	amh	Amharic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	anp	Angika
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	apa	Apache languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ara	Arabic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	arg	Aragonese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	arp	Arapaho
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	arw	Arawak
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	arm	Armenian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	rup	Aromanian; Arumanian; Macedo-Romanian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	art	Artificial (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	asm	Assamese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ast	Asturian; Bable; Leonese; Asturleonese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ath	Athapaskan languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	aus	Australian languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	map	Austronesian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ava	Avaric

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ave	Avestan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	awa	Awadhi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	aym	Aymara
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	aze	Azerbaijani
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ban	Balinese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bat	Baltic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bal	Baluchi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bam	Bambara
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bai	Bamileke languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bad	Banda languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bnt	Bantu (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bas	Basa
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bak	Bashkir
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	baq	Basque
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	btb	Batak languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bej	Beja; Bedawiyet
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bel	Belarusian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bem	Bemba
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ben	Bengali
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ber	Berber (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bho	Bhojpuri
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bih	Bihari
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bik	Bikol
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bin	Bini; Edo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bis	Bislama
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	byn	Blin; Bilin
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zbi	Blissymbols; Blissymbolics; Bliss
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nob	Bokmål, Norwegian; Norwegian Bokmål
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bos	Bosnian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bra	Braj
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bre	Breton
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bug	Buginese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bul	Bulgarian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bua	Buriat
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bur	Burmese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cad	Caddo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cat	Catalan; Valencian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cau	Caucasian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ceb	Cebuano
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cel	Celtic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cai	Central American Indian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	khm	Central Khmer
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chg	Chagatai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cmc	Chamic languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cha	Chamorro
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	che	Chechen
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chr	Cherokee
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chy	Cheyenne
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chb	Chibcha
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nya	Chichewa; Chewa; Nyanja
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chi	Chinese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chn	Chinook jargon
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chp	Chipewyan; Dene Suline
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cho	Choctaw
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chu	Church Slav; Old Slavonic; Church Slavonic; Old Bulgarian; Old Church Slavonic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chk	Chuukese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chv	Chuvash
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nwc	Classical Newari; Old Newari; Classical Nepal Bhasa
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	syx	Classical Syriac
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cop	Coptic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cor	Cornish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cos	Corsican

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cre	Cree
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mus	Creek
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	crp	Creoles and pidgins (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cpe	Creoles and pidgins, English based (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cpf	Creoles and pidgins, French-based (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cpp	Creoles and pidgins, Portuguese-based (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	crh	Crimean Tatar; Crimean Turkish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hrv	Croatian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cus	Cushitic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	cze	Czech
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dak	Dakota
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dan	Danish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dar	Dargwa
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	del	Delaware
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	din	Dinka
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	div	Divehi; Dhivehi; Maldivian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	doi	Dogri
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dgr	Dogrib
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dra	Dravidian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dua	Duala
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dum	Dutch, Middle (ca.1050-1350)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dut	Dutch; Flemish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dyu	Dyula
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dzo	Dzongkha
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	frs	Eastern Frisian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	efi	Efik
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	egy	Egyptian (Ancient)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	eka	Ekajuk
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	elx	Elamite
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	eng	English
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	enm	English, Middle (1100-1500)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ang	English, Old (ca.450-1100)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	myv	Erzya
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	epo	Esperanto
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	est	Estonian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ewe	Ewe
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ewo	Ewondo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fan	Fang
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fat	Fanti
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fao	Faroese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fij	Fijian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fil	Filipino; Pilipino
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fin	Finnish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fiu	Finno-Ugrian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fon	Fon
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fre	French
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	frm	French, Middle (ca.1400-1600)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fro	French, Old (842-ca.1400)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fur	Friulian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ful	Fulah
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gaa	Ga
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gla	Gaelic; Scottish Gaelic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	car	Galibi Carib
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	glg	Galician
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lug	Ganda
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gay	Gayo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gba	Gbaya
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gez	Geez
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	geo	Georgian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ger	German
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gmh	German, Middle High (ca.1050-1500)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	goh	German, Old High (ca.750-1050)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gem	Germanic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gil	Gilbertese

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gon	Gondi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gor	Gorontalo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	got	Gothic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	grb	Grebo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	grc	Greek, Ancient (to 1453)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gre	Greek, Modern (1453-)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	grn	Guarani
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	guj	Gujarati
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gwi	Gwich'in
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hai	Haida
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hat	Haitian; Haitian Creole
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hau	Hausa
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	haw	Hawaiian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	heb	Hebrew
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	her	Herero
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hil	Hiligaynon
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	him	Himachali
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hin	Hindi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hmo	Hiri Motu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hit	Hittite
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hmn	Hmong
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hun	Hungarian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hup	Hupa
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	iba	Iban
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ice	Icelandic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ido	Ido
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ibo	Igbo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ijo	Ijo languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ilo	Iloko
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	smn	Inari Sami
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	inc	Indic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ine	Indo-European (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ind	Indonesian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	inh	Ingush
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ina	Interlingua (International Auxiliary Language Association)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ile	Interlingue; Occidental
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	iku	Inuktitut
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ipk	Inupiaq
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ira	Iranian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gle	Irish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mga	Irish, Middle (900-1200)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sga	Irish, Old (to 900)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	iro	Iroquoian languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ita	Italian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	jpn	Japanese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	jav	Javanese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	jrb	Judeo-Arabic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	jpr	Judeo-Persian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kbd	Kabardian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kab	Kabyle
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kac	Kachin; Jingpho
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kal	Kalaallisut; Greenlandic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	xal	Kalmyk; Oirat
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kam	Kamba
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kan	Kannada
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kau	Kanuri
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	krc	Karachay-Balkar
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kaa	Kara-Kalpak
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	krl	Karelian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kar	Karen languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kas	Kashmiri
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	csb	Kashubian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kaw	Kawi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kaz	Kazakh

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kha	Khasi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	khi	Khoisan (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kho	Khotanese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kik	Kikuyu; Gikuyu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kmb	Kimbundu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kin	Kinyarwanda
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kir	Kirghiz; Kyrgyz
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tlh	Klingon; tlhIngan-Hol
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kom	Komi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kon	Kongo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kok	Konkani
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kor	Korean
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kos	Kosraean
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kpe	Kpelle
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kro	Kru languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kua	Kuanyama; Kwanyama
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kum	Kumyk
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kur	Kurdish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kru	Kurukh
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	kut	Kutenai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lad	Ladino
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lah	Lahnda
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lam	Lamba
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	day	Land Dayak languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lao	Lao
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lat	Latin
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lav	Latvian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lez	Lezghian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lim	Limburgan; Limburger; Limburgish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lin	Lingala
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lit	Lithuanian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	jbo	Lojban
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nds	Low German; Low Saxon; German, Low; Saxon, Low
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	dsb	Lower Sorbian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	loz	Lozi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lub	Luba-Katanga
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lua	Luba-Lulua
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lui	Luiseno
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	smj	Lule Sami
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lun	Lunda
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	luo	Luo (Kenya and Tanzania)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lus	Lushai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ltz	Luxembourgish; Letzeburgesch
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mac	Macedonian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mad	Madurese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mag	Magahi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mai	Maithili
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mak	Makasar
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mlg	Malagasy
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	may	Malay
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mal	Malayalam
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mlt	Maltese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mnc	Manchu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mdr	Mandar
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	man	Mandingo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mni	Manipuri
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mno	Manobo languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	glv	Manx
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mao	Maori
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	am	Mapudungun; Mapuche
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mar	Marathi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	chm	Mari
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mah	Marshallese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mwr	Marwari

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mas	Masai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	myn	Mayan languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	men	Mende
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mic	Mi'kmaq; Micmac
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	min	Minangkabau
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mwj	Mirandese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	moh	Mohawk
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mdf	Moksha
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mol	Moldavian; Moldovan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	lol	Mongo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mon	Mongolian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mkh	Mon-Khmer (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mos	Mossi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mul	Multiple languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mun	Munda languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nah	Nahuatl languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nau	Nauru
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nav	Navajo; Navaho
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nde	Ndebele, North; North Ndebele
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nbl	Ndebele, South; South Ndebele
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ndo	Ndonga
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nap	Neapolitan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	new	Nepal Bhasa; Newari
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nep	Nepali
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nia	Nias
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nic	Niger-Kordofanian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ssa	Nilo-Saharan (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	niu	Niuean
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nqo	N'Ko
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zxx	No linguistic content; Not applicable
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	noq	Nogai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	non	Norse, Old
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nai	North American Indian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	frr	Northern Frisian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sme	Northern Sami
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nor	Norwegian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nno	Norwegian Nynorsk; Nynorsk, Norwegian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nub	Nubian languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nym	Nyamwezi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nyn	Nyankole
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nyo	Nyoro
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nzi	Nzima
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	oci	Occitan (post 1500); Provençal
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	arc	Official Aramaic (700-300 BCE); Imperial Aramaic (700-300 BCE)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	oji	Ojibwa
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ori	Oriya
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	orm	Oromo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	osa	Osage
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	oss	Ossetian; Ossetic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	oto	Otomian languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pal	Pahlavi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pau	Palauan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pli	Pali
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pam	Pampanga; Kapampangan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pag	Pangasinan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pan	Panjabi; Punjabi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pap	Papiamentu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	paa	Papuan (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	nso	Pedi; Sepedi; Northern Sotho
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	per	Persian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	peo	Persian, Old (ca.600-400 B.C.)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	phi	Philippine (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	phn	Phoenician
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pon	Pohnpeian

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.



**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pol	Polish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	por	Portuguese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pra	Prakrit languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pro	Provençal, Old (to 1500)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	pus	Pushto; Pashto
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	que	Quechua
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	raj	Rajasthani
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	rap	Rapanui
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	rar	Rarotongan; Cook Islands Maori
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	qaa-qtz	Reserved for local use
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	roa	Romance (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	rum	Romanian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	roh	Romansh
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	rom	Romany
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	run	Rundi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	rus	Russian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sal	Salishan languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sam	Samaritan Aramaic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	smi	Sami languages (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	smo	Samoan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sad	Sandawe
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sag	Sango
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	san	Sanskrit
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sat	Santali
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	srđ	Sardinian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sas	Sasak
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sco	Scots
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sel	Selkup
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sem	Semitic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	srp	Serbian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	srr	Serer
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	shn	Shan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sna	Shona
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	iii	Sichuan Yi; Nuosu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	scn	Sicilian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sid	Sidamo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sgn	Sign Languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	bla	Siksika
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	snd	Sindhi
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sin	Sinhala; Sinhalese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sit	Sino-Tibetan (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sio	Siouan languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sms	Skolt Sami
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	den	Slave (Athapascan)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sla	Slavic (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	slo	Slovak
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	slv	Slovenian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sog	Sogdian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	som	Somali
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	son	Songhai languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	snk	Soninke
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	wen	Sorbian languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sot	Sotho, Southern
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sai	South American Indian (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	alt	Southern Altai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sma	Southern Sami
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	spa	Spanish; Castilian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	srn	Sranan Tongo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	suk	Sukuma
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sux	Sumerian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sun	Sundanese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sus	Susu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	swa	Swahili
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ssw	Swati

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	swe	Swedish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	gsw	Swiss German; Alemannic; Alsatian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	syr	Syriac
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tgl	Tagalog
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tah	Tahitian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tai	Tai (Other)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tgk	Tajik
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tmh	Tamashek
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tam	Tamil
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tat	Tatar
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tel	Telugu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ter	Tereno
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tet	Tetum
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tha	Thai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tib	Tibetan
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tig	Tigre
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tir	Tigrinya
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tem	Timne
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tiv	Tiv
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tli	Tlingit
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tpi	Tok Pisin
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tkl	Tokelau
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tog	Tonga (Nyasa)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ton	Tonga (Tonga Islands)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tsi	Tsimshian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tso	Tsonga
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tsn	Tswana
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tum	Tumbuka
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tup	Tupi languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tur	Turkish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ota	Turkish, Ottoman (1500-1928)
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tuk	Turkmen
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tvl	Tuvalu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	tyv	Tuvinian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	twi	Twí
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	udm	Udmurt
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	uga	Ugaritic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	uig	Uighur; Uyghur
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ukr	Ukrainian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	umb	Umbundu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	mis	Uncoded languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	und	Undetermined
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	hsb	Upper Sorbian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	urd	Urdu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	uzb	Uzbek
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	vai	Vai
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ven	Venda
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	vie	Vietnamese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	vol	Volapük
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	vot	Votic
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	wak	Wakashan languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	wal	Walamo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	wln	Walloon
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	war	Waray
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	was	Washo
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	wel	Welsh
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	fry	Western Frisian
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	wol	Wolof
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	xho	Xhosa
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	sah	Yakut
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	yao	Yao
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	yap	Yapese
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	yid	Yiddish
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	yor	Yoruba

Copyright 2012 American Medical Association. All Rights Reserved  
CPT copyright 2004-2011 American Medical Association.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**

AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	ypk	Yupik languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	znd	Zande languages
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zap	Zapotec
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zza	Zaza; Dimili; Dimli; Kirdki; Kirmanjki; Zazaki
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zen	Zenaga
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zha	Zhuang; Chuang
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zul	Zulu
CDC	2.16.840.1.114222.4.11.831	Preferred Language	Individual Characteristic	CDC	20080708	zun	Zuni

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**  
 AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
National Quality Forum	2.16.840.1.113883.3.560.100.4	birth date	Individual Characteristic	LOINC	2.36	21112-8	Birth date
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.12.1001	Office Visit	Encounter	GROUPING	GROUPING	2.16.840.1.113883.3.464.1003.101.11.1005	"Office Visit" CPT value set
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99201	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 20 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Physicians typically spend 30 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 45 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 60 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 15 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1005	Office Visit	Encounter	CPT	2012	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.12.1008	Outpatient Consultation	Encounter	GROUPING	GROUPING	2.16.840.1.113883.3.464.1003.101.11.1040	"Outpatient Consultation" CPT value set
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1040	Outpatient Consultation	Encounter	CPT	2012	99241	Office consultation for a new or established patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1040	Outpatient Consultation	Encounter	CPT	2012	99242	Office consultation for a new or established patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Physicians typically spend 30 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1040	Outpatient Consultation	Encounter	CPT	2012	99243	Office consultation for a new or established patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1040	Outpatient Consultation	Encounter	CPT	2012	99244	Office consultation for a new or established patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 60 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1040	Outpatient Consultation	Encounter	CPT	2012	99245	Office consultation for a new or established patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 80 minutes face-to-face with the patient and/or family.
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.12.1048	Face-to-Face Interaction	Encounter	GROUPING	GROUPING	2.16.840.1.113883.3.464.1003.101.11.1216	"Face-to-Face Interaction" SNOMED-CT value set
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	4525004	emergency department patient visit (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	12843005	subsequent hospital visit by physician (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	18170008	subsequent nursing facility visit (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	19681004	nursing evaluation of patient and report (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	87790002	follow-up inpatient consultation visit (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	90526000	initial evaluation and management of healthy individual (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	185349003	encounter for "check-up" (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	185463005	visit out of hours (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	185465003	weekend visit (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	207195004	history and physical examination with evaluation and management of nursing facility patient (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	270427003	patient-initiated encounter (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	270430005	provider-initiated encounter (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	308335008	patient encounter procedure (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	390906007	follow-up encounter (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	406547006	urgent follow-up (procedure)
National Committee for Quality Assurance (NCQA)	2.16.840.1.113883.3.464.1003.101.11.1216	Face-to-Face Interaction	Encounter	CPT	2012	439708006	home visit (procedure)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.526.3.1141	Psychoanalysis	Encounter	GROUPING	GROUPING	2.16.840.1.113883.3.526.2.1243	"Psychoanalysis" CPT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.526.2.1243	Psychoanalysis	Encounter	CPT	2012	90845	Psychoanalysis
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.464.1003.101.12.1010	Emergency Department Visit	Encounter	GROUPING	GROUPING	2.16.840.1.113883.3.464.1003.101.11.1050	"Emergency Department Visit" CPT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.464.1003.101.11.1050	Emergency Department Visit	Encounter	CPT	2012	99281	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor.

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**  
AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.464.1003.101.11.1050	Emergency Department Visit	Encounter	CPT	2012	99282	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity.
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.464.1003.101.11.1050	Emergency Department Visit	Encounter	CPT	2012	99283	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity.
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.464.1003.101.11.1050	Emergency Department Visit	Encounter	CPT	2012	99284	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician but do not pose an immediate significant threat to life or physiologic function.
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	2.16.840.1.113883.3.464.1003.101.11.1050	Emergency Department Visit	Encounter	CPT	2012	99285	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components with the constraints imposed by the urgency of the patient's clinical condition and/or mental status: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500053	Psych Visit - Diagnostic Evaluation	Encounter	GROUPING	GROUPING	500053	"Psych Visit - Diagnostic Evaluation" CPT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500053	Psych Visit - Diagnostic Evaluation	Encounter	CPT	2013	90791	Psychiatric diagnostic evaluation
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500053	Psych Visit - Diagnostic Evaluation	Encounter	CPT	2013	90792	Psychiatric diagnostic evaluation with medical services
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500054	Psych Visit - Psychotherapy	Encounter	GROUPING	GROUPING	500054	"Psych Visit - Psychotherapy" CPT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500054	Psych Visit - Psychotherapy	Encounter	CPT	2013	90832	Psychotherapy, 30 minutes with patient and/or family member
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500054	Psych Visit - Psychotherapy	Encounter	CPT	2013	90834	Psychotherapy, 45 minutes with patient and/or family member
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500054	Psych Visit - Psychotherapy	Encounter	CPT	2013	90837	Psychotherapy, 60 minutes with patient and/or family member
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	GROUPING	GROUPING	500055	"Major Depressive Disorder-Active" ICD-9-CM value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	GROUPING	GROUPING	500055	"Major Depressive Disorder-Active" ICD-10-CM value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	GROUPING	GROUPING	500055	"Major Depressive Disorder-Active" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.20	Major depressive disorder, single episode, unspecified degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.21	Major depressive disorder, single episode, mild degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.22	Major depressive disorder, single episode, moderate degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.23	Major depressive disorder, single episode, severe degree, without mention of psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.24	Major depressive disorder, single episode, severe degree, specified as with psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.30	Major depressive disorder, recurrent episode, unspecified degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.31	Major depressive disorder, recurrent episode, mild degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.32	Major depressive disorder, recurrent episode, moderate degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.33	Major depressive disorder, recurrent episode, severe degree, without mention of psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.34	Major depressive disorder, recurrent episode, severe degree, specified as with psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.0	Major depressive disorder, single episode, mild
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.1	Major depressive disorder, single episode, moderate
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.2	Major depressive disorder, single episode, severe without psychotic features
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.3	Major depressive disorder, single episode, severe with psychotic features
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.9	Major depressive disorder, single episode, unspecified
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.0	Major depressive disorder, recurrent, mild
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.1	Major depressive disorder, recurrent, moderate
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.2	Major depressive disorder, recurrent severe without psychotic features
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.9	Major depressive disorder, recurrent, unspecified
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	832007	Moderate major depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	2618002	Chronic recurrent major depressive disorder (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	14183003	Chronic major depressive disorder, single episode (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	15193003	Severe recurrent major depression with psychotic features, mood-incongruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	15639000	Moderate major depression, single episode (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	18818009	Moderate recurrent major depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	20250007	Severe major depression, single episode, with psychotic features, mood-incongruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	25922000	Major depressive disorder, single episode with postpartum onset (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	28475009	Severe recurrent major depression with psychotic features (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	33078009	Severe recurrent major depression with psychotic features, mood-congruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	33736005	Severe major depression with psychotic features, mood-congruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500055	Major Depressive Disorder-Active	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	36474008	Severe recurrent major depression without psychotic features (disorder)

## ADULT MAJOR DEPRESSIVE DISORDER

### Coding Spreadsheet for PCPI eSpecification

[illegible]

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**  
 AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500025	Loss of Interest or Pleasure	Symptom	SNOMED-CT	07/2012	417523004	Loss of interest in previously enjoyable activity (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500025	Loss of Interest or Pleasure	Symptom	SNOMED-CT	07/2012	430641005	Markedly diminished pleasure (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	GROUPING	GROUPING	500027	"Weight Change or Appetite Change" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	8943002	Weight gain finding (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	89362005	Weight loss finding (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	102492002	Failure to maintain weight (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	161831008	Weight increasing (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	161832001	Weight decreasing (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	161833006	Abnormal weight gain (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	224994002	Excessive weight gain (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	248332009	Weight fluctuates (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	262285001	Weight decreased (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	262286000	Weight increased (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	267024001	Abnormal weight loss (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	309257005	Excessive weight loss (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	416528001	Intentional weight loss (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	426977000	Recent weight loss (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	427572007	Recent weight gain (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	430237002	Abnormal intentional weight loss (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	249473004	altered appetite (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	64379006	decrease in appetite (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	72405004	increased appetite (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500027	Weight Change or Appetite Change	Symptom	SNOMED-CT	07/2012	405788002	psychogenic loss of appetite (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	GROUPING	GROUPING	500028	"Sleep Disturbances, Hypersomnia or Insomnia" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	3745000	Sleep-wake schedule disorder (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	3872004	Primary insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	31537005	Sleep-wake schedule disorder, advanced phase type (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	36124002	Primary hypersomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	39898005	Sleep disorder (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	41975002	Insomnia with sleep apnea (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	44186003	Dyssomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	44455001	Hypersomnia disorder related to a known organic factor (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	50702007	Sleep-wake schedule disorder, disorganized type (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	54230003	Mixed insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	54532007	Sleep-wake schedule disorder, frequently changing type (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	59050008	Initial insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	60380001	Narcolepsy (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	67062000	Terminal insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	67233009	Middle insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	77692006	Hypersomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	79280005	Hypersomnia with sleep apnea (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	80623000	Sleep-wake schedule disorder, delayed phase type (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	88982005	Rebound insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	89415002	Hypersomnia disorder related to another mental disorder (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	162204000	Late insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	191997003	Persistent insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	191999000	Persistent hypersomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	192000006	Work shift change (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	192004002	Repeated rapid eye movement sleep interruptions (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	192008004	Reversed sleep-wake cycle (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	192454004	Nonorganic insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	193042000	Cataplexy and narcolepsy (disorder)

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**  
 AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	193462001	Insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	194439006	Disorders of excessive somnolence (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	230488004	Hypersomnia of non-organic origin (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	230489007	Excessive daytime sleepiness - normal night sleep (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	230490003	Excessive day and night-time sleepiness (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	230492006	Excess daytime sleepiness with sleep paralysis (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	230495008	Transient sleep-wake rhythm disorder (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	248256006	Not getting enough sleep (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	248258007	Circumstances interfere with sleep (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	248260009	Unrefreshed by sleep (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	248261008	Oversleeps (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	248262001	Always sleepy (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	268652009	Transient insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	268653004	Transient hypersomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	268722008	Non-organic disorder of the sleep-wake schedule (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	271793004	Irregular sleep-wake pattern (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	271794005	Disorder of sleep-wake cycle (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	370971007	Somnolence syndrome (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	401236004	Early morning waking (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	425832009	Psychophysiologic insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	426257002	Idiopathic insomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	426451004	Recurrent hypersomnia (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	426943005	Hypersomnia disorder related to menstruation (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	442292004	Idiopathic hypersomnia without long sleep time (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500028	Sleep Disturbances, Hypersomnia or Insomnia	Symptom	SNOMED-CT	07/2012	442416002	Idiopathic hypersomnia associated with long sleep time (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	GROUPING	GROUPING	500029	"Psychomotor Agitation or Retardation" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	SNOMED-CT	07/2012	47295007	Psychomotor agitation (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	SNOMED-CT	07/2012	247911008	Constant movement (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	SNOMED-CT	07/2012	247913006	Aimless movement (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	SNOMED-CT	07/2012	247914000	Aimless overactivity (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	SNOMED-CT	07/2012	300989001	Agitated wandering (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	SNOMED-CT	07/2012	398991009	Motor retardation (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500029	Psychomotor Agitation or Retardation	Symptom	SNOMED-CT	07/2012	416909000	Impaired psychomotor performance (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	GROUPING	GROUPING	500030	"Fatigue or Loss of Energy" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	13791008	Asthenia (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	18726006	Senile asthenia (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	84229001	Fatigue (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	161874006	Heavy feeling (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	224960004	Tired (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	248269005	Tired on least exertion (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	248278004	Attacks of weakness (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	248279007	Frailty (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	267031002	Tiredness symptom (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	267032009	Tired all the time (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	272036004	Complaining of debility and malaise (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	272060000	Fatigue - symptom (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	272062008	Complaining of "tired all the time" (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	314109004	Feeling tired (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	373931001	Sensation of heaviness in limbs (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	442099003	Psychogenic fatigue (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500030	Fatigue or Loss of Energy	Symptom	SNOMED-CT	07/2012	444042007	Excessive postexertional fatigue (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500031	Feelings of Worthlessness or Guilt	Symptom	GROUPING	GROUPING	500031	"Feelings of Worthlessness or Guilt" SNOMED-CT value set



**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**  
AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500031	Feelings of Worthlessness or Guilt	Symptom	SNOMED-CT	07/2012	225472006	Feels life is meaningless (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500031	Feelings of Worthlessness or Guilt	Symptom	SNOMED-CT	07/2012	225473001	Feels everything is futile (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500031	Feelings of Worthlessness or Guilt	Symptom	SNOMED-CT	07/2012	247757004	Purposeless (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500031	Feelings of Worthlessness or Guilt	Symptom	SNOMED-CT	07/2012	7571003	feeling guilt (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	GROUPING	GROUPING	500032	"Diminished Ability to Think or Concentrate or Indecisiveness" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	22058002	Inattention (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	25124003	Selective inattention (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	26329005	Poor concentration (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	28102002	Distractibility (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	46991000	Absent minded (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	60032008	Unable to concentrate (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	76039005	Disturbance of attention (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	86713007	Nonpersistence (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	130965009	Persistence (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	163616009	On examination - easily distractable (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	247761005	Reduced concentration (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	247762003	Reduced concentration span (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	247764002	Easily distracted (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	248235009	Preoccupied (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	425248002	Scattered attention (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	286776006	indecisive character (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500032	Diminished Ability to Think or Concentrate or Indecisiveness	Symptom	SNOMED-CT	07/2012	247585004	difficulty making decisions (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500033	Recurrent Thoughts of Death or Suicidal Ideation	Symptom	GROUPING	GROUPING	500033	"Recurrent Thoughts of Death or Suicidal Ideation" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500033	Recurrent Thoughts of Death or Suicidal Ideation	Symptom	SNOMED-CT	07/2012	225875000	thoughts about dying (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500033	Recurrent Thoughts of Death or Suicidal Ideation	Symptom	SNOMED-CT	07/2012	6471006	Suicidal thoughts (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500033	Recurrent Thoughts of Death or Suicidal Ideation	Symptom	SNOMED-CT	07/2012	225457007	Feeling suicidal (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500033	Recurrent Thoughts of Death or Suicidal Ideation	Symptom	SNOMED-CT	07/2012	267073005	Suicidal (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500033	Recurrent Thoughts of Death or Suicidal Ideation	Symptom	SNOMED-CT	07/2012	304594002	Suicidal intent (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500033	Recurrent Thoughts of Death or Suicidal Ideation	Symptom	SNOMED-CT	07/2012	425104003	Suicidal behavior (finding)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500058	Depression Severity Assessment	Risk Category / Assessment	GROUPING	GROUPING	500058	"Depression Severity Assessment" LOINC value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500058	Depression Severity Assessment	Risk Category / Assessment	LOINC	TBD	XXXXX-X	TBD
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500059	Qualitative Depression Severity Classification	Attribute	GROUPING	GROUPING	500059	"Qualitative Depression Severity Classification" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500059	Qualitative Depression Severity Classification	Attribute	SNOMED-CT	07/2012	255604002	mild (qualifier value)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500059	Qualitative Depression Severity Classification	Attribute	SNOMED-CT	07/2012	310495003	mild depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500059	Qualitative Depression Severity Classification	Attribute	SNOMED-CT	07/2012	6736007	moderate (severity modifier) (qualifier value)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500059	Qualitative Depression Severity Classification	Attribute	SNOMED-CT	07/2012	310496002	moderate depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500059	Qualitative Depression Severity Classification	Attribute	SNOMED-CT	07/2012	24484000	severe (severity modifier) (qualifier value)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500059	Qualitative Depression Severity Classification	Attribute	SNOMED-CT	07/2012	310497006	severe depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	GROUPING	GROUPING	500057	"Major Depressive Disorder-Severity Specified" ICD-9-CM value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	GROUPING	GROUPING	500057	"Major Depressive Disorder-Severity Specified" ICD-10-CM value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	GROUPING	GROUPING	500057	"Major Depressive Disorder-Severity Specified" SNOMED-CT value set
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.21	Major depressive disorder, single episode, mild degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.22	Major depressive disorder, single episode, moderate degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.23	Major depressive disorder, single episode, severe degree, without mention of psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.24	Major depressive disorder, single episode, severe degree, specified as with psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.31	Major depressive disorder, recurrent episode, mild degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.32	Major depressive disorder, recurrent episode, moderate degree
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.33	Major depressive disorder, recurrent episode, severe degree, without mention of psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-9-CM	2012	296.34	Major depressive disorder, recurrent episode, severe degree, specified as with psychotic behavior
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.0	Major depressive disorder, single episode, mild
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.1	Major depressive disorder, single episode, moderate
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.2	Major depressive disorder, single episode, severe without psychotic features

**ADULT MAJOR DEPRESSIVE DISORDER**  
**Coding Spreadsheet for PCPI eSpecification**  
AMDD-1 : Adult Major Depressive Disorder: Comprehensive Depression Evaluation: Diagnosis and Severity

Value Set Developer	Value Set OID	Value Set Name	QDM Category	Code System	Code System Version	Code	Descriptor
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F32.3	Major depressive disorder, single episode, severe with psychotic features
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.0	Major depressive disorder, recurrent, mild
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.1	Major depressive disorder, recurrent, moderate
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.2	Major depressive disorder, recurrent severe without psychotic features
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	ICD-10-CM	2012	F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	832007	Moderate major depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	15193003	Severe recurrent major depression with psychotic features, mood-incongruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	15639000	Moderate major depression, single episode (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	18818009	Moderate recurrent major depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	20250007	Severe major depression, single episode, with psychotic features, mood-incongruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	28475009	Severe recurrent major depression with psychotic features (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	33078009	Severe recurrent major depression with psychotic features, mood-congruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	33736005	Severe major depression with psychotic features, mood-congruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	36474008	Severe recurrent major depression without psychotic features (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	40379007	Mild recurrent major depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	60099002	Severe major depression with psychotic features, mood-incongruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	73867007	Severe major depression with psychotic features (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	75084000	Severe major depression without psychotic features (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	76441001	Severe major depression, single episode, without psychotic features (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	77911002	Severe major depression, single episode, with psychotic features, mood-congruent (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	79298009	Mild major depression, single episode (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	87512008	Mild major depression (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	191610000	Recurrent major depressive episodes, mild (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	191611001	Recurrent major depressive episodes, moderate (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	191613003	Recurrent major depressive episodes, severe, with psychosis (disorder)
American Medical Association-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI)	500057	Major Depressive Disorder-Severity Specified	Condition/Diagnosis/Problem	SNOMED-CT	07/2012	430852001	Severe major depression, single episode, with psychotic features (disorder)