



Measure Information

This document contains the information submitted by measure developers/stewards, but is organized according to NQF's measure evaluation criteria and process. The item numbers refer to those in the submission form but may be in a slightly different order here. In general, the item numbers also reference the related criteria (e.g., item 1b.1 relates to subcriterion 1b).

Brief Measure Information

NQF #: 0381

De.2. Measure Title: Oncology: Treatment Summary Communication – Radiation Oncology

Co.1.1. Measure Steward: American Medical Association - Physician Consortium for Performance Improvement (AMA-PCPI)

De.3. Brief Description of Measure: Percentage of patients, regardless of age, with a diagnosis of cancer who have undergone brachytherapy or external beam radiation therapy who have a treatment summary report in the chart that was communicated to the physician(s) providing continuing care and to the patient within one month of completing treatment

1b.1. Developer Rationale: The radiation oncology treatment summary should include many details regarding the treatment course and follow-up plan, which is critical to ensuring proper coordination of care among patient's current and future physicians, including oncologists and primary care physicians. This is especially important for radiation oncology given that cancer patients treated with radiation typically receive multimodality treatment and many patients receive care that is fragmented among several facilities. (1)

Hayman JA. Treatment summaries in radiation oncology and their role in improving patients' quality of care: past, present, and future. J Oncol Pract. 2009 May;5(3):108-9.

S.4. Numerator Statement: Patients who have a treatment summary* report in the chart that was communicated to the physician(s) providing continuing care and to the patient within one month of completing treatment

S.7. Denominator Statement: All patients, regardless of age, with a diagnosis of cancer who have undergone brachytherapy or external beam radiation therapy

S.10. Denominator Exclusions: Documentation of a patient reason(s) for not communicating the treatment summary report to the physician(s) providing continuing care (eg, patient requests that report not be sent) and to the patient within one month of completing treatment

Documentation of a system reason(s) for not communicating the treatment summary report to the physician(s) providing continuing care (eg, patient does not have any physician responsible for providing continuing care) and to the patient within one month of completing treatment

De.1. Measure Type: Process

S.23. Data Source: Administrative claims, Electronic Clinical Data, Electronic Clinical Data : Electronic Health Record, Electronic Clinical Data : Registry, Paper Medical Records

S.26. Level of Analysis: Clinician : Group/Practice, Clinician : Individual, Clinician : Team

IF Endorsement Maintenance – Original Endorsement Date: Jul 31, 2008 **Most Recent Endorsement Date:** Aug 09, 2012

IF this measure is included in a composite, NQF Composite#/title:

IF this measure is paired/grouped, NQF#/title:

De.4. IF PAIRED/GROUPED, what is the reason this measure must be reported with other measures to appropriately interpret results?

1. Evidence, Performance Gap, Priority – Importance to Measure and Report

Extent to which the specific measure focus is evidence-based, important to making significant gains in healthcare quality, and

improving health outcomes for a specific high-priority (high-impact) aspect of healthcare where there is variation in or overall less-than-optimal performance. **Measures must be judged to meet all subcriteria to pass this criterion and be evaluated against the remaining criteria.**

1a. Evidence to Support the Measure Focus – See attached Evidence Submission Form

[0381_Evidence_MSF5.0_Data.doc](#)

1b. Performance Gap

Demonstration of quality problems and opportunity for improvement, i.e., data demonstrating:

- considerable variation, or overall less-than-optimal performance, in the quality of care across providers; and/or
- disparities in care across population groups.

1b.1. Briefly explain the rationale for this measure (e.g., the benefits or improvements in quality envisioned by use of this measure)

The radiation oncology treatment summary should include many details regarding the treatment course and follow-up plan, which is critical to ensuring proper coordination of care among patient's current and future physicians, including oncologists and primary care physicians. This is especially important for radiation oncology given that cancer patients treated with radiation typically receive multimodality treatment and many patients receive care that is fragmented among several facilities. (1)

Hayman JA. Treatment summaries in radiation oncology and their role in improving patients' quality of care: past, present, and future. J Oncol Pract. 2009 May;5(3):108-9.

1b.2. Provide performance scores on the measure as specified (current and over time) at the specified level of analysis. (This is required for endorsement maintenance. Include mean, std dev, min, max, interquartile range, scores by decile. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities included). This information also will be used to address the subcriterion on improvement (4b.1) under Usability and Use.

Results of the National Initiative for Cancer Care Quality indicated that across five metropolitan statistical areas, only 50% of radiation therapy medical records for patients with breast cancer included information regarding the total dose of radiation, dose per fraction, number of fractions, and the site treated.(1)

Among physicians participating in ASTRO's Performance Assessment for the Advancement of Radiation Oncology Treatment (PAAROT) program, an average performance rate of 92% was reported for this measure with variation among physicians ranging from 0-100%. PAAROT is a practice improvement program that enables a physician to analyze their practice and evaluate their strengths and areas for improvement.(2)

1b.3. If no or limited performance data on the measure as specified is reported in 1b2, then provide a summary of data from the literature that indicates opportunity for improvement or overall less than optimal performance on the specific focus of measurement.

(1) Malin JL, Schneider EC, Epstein AM, Adams J, Emanuel EJ, Kahn KL. Results of the National Initiative for Cancer Care Quality: How can we improve the quality of cancer care in the United States? J Clin Oncol. 2006;24:626-634.

(2) American Society for Radiation Oncology. Performance Assessment for the Advancement of Radiation Oncology Treatment program (PAAROT). Unpublished data, 2010.

1b.4. Provide disparities data from the measure as specified (current and over time) by population group, e.g., by race/ethnicity, gender, age, insurance status, socioeconomic status, and/or disability. (This is required for endorsement maintenance. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities include.) This information also will be used to address the subcriterion on improvement (4b.1) under Usability and Use.

We are not aware of any publications/evidence outlining disparities in the communication of radiation oncology treatment summaries however the National Cancer Institute and AHRQ's National Healthcare Disparities Report has shown that disparities exist in cancer incidence and deaths by race, ethnicity and socioeconomic status. (1,2)

1b.5. If no or limited data on disparities from the measure as specified is reported in 1b4, then provide a summary of data from the literature that addresses disparities in care on the specific focus of measurement. Include citations.

(1) Harper S, Lynch J. Methods for Measuring Cancer Disparities: Using Data Relevant to Healthy People 2010 Cancer-Related Objectives. Cancer Control Monograph Series, No. 6. Bethesda, MD: National Cancer Institute; 2005. NIH publication 05-5777.

(2) Agency for Healthcare Research and Quality. 2010 National Healthcare Disparities Report.

<http://www.ahrq.gov/qual/nhdr10/nhdr10.pdf>. Published March 2011. Accessed January 3, 2011.

1c. High Priority (previously referred to as High Impact)

The measure addresses:

- a specific national health goal/priority identified by DHHS or the National Priorities Partnership convened by NQF; OR
- a demonstrated high-priority (high-impact) aspect of healthcare (e.g., affects large numbers of patients and/or has a substantial impact for a smaller population; leading cause of morbidity/mortality; high resource use (current and/or future); severity of illness; and severity of patient/societal consequences of poor quality).

1c.1. Demonstrated high priority aspect of healthcare

Affects large numbers, A leading cause of morbidity/mortality, Frequently performed procedure, Patient/societal consequences of poor quality, Severity of illness

1c.2. If Other:

1c.3. Provide epidemiologic or resource use data that demonstrates the measure addresses a high priority aspect of healthcare.

List citations in 1c.4.

About 1,596,670 new cancer cases are expected to be diagnosed in 2011. (1) On January 1, 2008, in the United States there were approximately 11,957,599 men and women alive who had a history of cancer of all sites -- 5,505,862 men and 6,451,737 women, [including both persons with active disease and those who are cured of their disease.] (2) Nearly two-thirds of all cancer patients will receive radiation therapy during their illness. (3) In 2011, about 571,950 Americans are expected to die of cancer, more than 1,500 people a day. Cancer is the second most common cause of death in the US, exceeded only by heart disease. In the US, cancer accounts for nearly 1 of every 4 deaths. (1) The 5-year relative survival rate for all cancers diagnosed between 1999 and 2006 is 68%, up from 50% in 1975-1977 (1). Based on rates from 2006-2008, 41.21% of men and women born today will be diagnosed with cancer of all sites at some time during their lifetime. (2) The National Institutes of Health estimates overall costs of cancer in 2010 at \$263.8 billion: \$102.8 billion for direct medical costs (total of all health expenditures); \$20.9 billion for indirect morbidity costs (cost of lost productivity due to illness); and \$140.1 billion for indirect mortality costs (cost of lost productivity due to premature death). (1)

1c.4. Citations for data demonstrating high priority provided in 1a.3

Quoted verbatim from the following sources:

(1) American Cancer Society. Cancer Facts & Figures 2011. Atlanta, GA: American Cancer Society; 2011.

(2) Howlader N, Noone AM, Krapcho M, Neyman N, Aminou R, Waldron W, Altekruse SF, Kosary CL, Ruhl J, Tatalovich Z, Cho H, Mariotto A, Eisner MP, Lewis DR, Chen HS, Feuer EJ, Cronin KA, Edwards BK (eds). SEER Cancer Statistics Review, 1975-2008, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2008/, based on November 2010 SEER data submission, posted to the SEER web site, 2011.

(3) American Society for Radiation Oncology. Statistics about Radiation Therapy. Available at: <http://www.rtanswers.org/statistics/aboutradiationtherapy.aspx>. Accessed January 9, 2012.

1c.5. If a PRO-PM (e.g. HRQoL/functional status, symptom/burden, experience with care, health-related behaviors), provide evidence that the target population values the measured PRO and finds it meaningful. (Describe how and from whom their input was obtained.)

2. Reliability and Validity—Scientific Acceptability of Measure Properties

Extent to which the measure, as specified, produces consistent (reliable) and credible (valid) results about the quality of care when implemented. **Measures must be judged to meet the subcriteria for both reliability and validity to pass this criterion and be evaluated against the remaining criteria.**

2a.1. Specifications The measure is well defined and precisely specified so it can be implemented consistently within and across organizations and allows for comparability. eMeasures should be specified in the Health Quality Measures Format (HQMF) and the Quality Data Model (QDM).

De.5. Subject/Topic Area (check all the areas that apply):

Cancer

De.6. Cross Cutting Areas (check all the areas that apply):

Care Coordination

S.1. Measure-specific Web Page (Provide a URL link to a web page specific for this measure that contains current detailed specifications including code lists, risk model details, and supplemental materials. Do not enter a URL linking to a home page or to general information.)

The updated specifications for this measure are attached with this form. Additional measure information can be found at www.physicianconsortium.org.

S.2a. If this is an eMeasure, HQMF specifications must be attached. Attach the output from the eMeasure authoring tool (MAT) - if the MAT was not used, contact staff. (Use the specification fields in this online form for the plain-language description of the specifications)

No HQMF specs Attachment:

S.2b. Data Dictionary, Code Table, or Value Sets (and risk model codes and coefficients when applicable) must be attached. (Excel or csv file in the suggested format preferred - if not, contact staff)

No data dictionary Attachment:

S.3. For endorsement maintenance, please briefly describe any changes to the measure specifications since last endorsement date and explain the reasons.

S.4. Numerator Statement (Brief, narrative description of the measure focus or what is being measured about the target population, i.e., cases from the target population with the target process, condition, event, or outcome)

IF an OUTCOME MEASURE, state the outcome being measured. Calculation of the risk-adjusted outcome should be described in the calculation algorithm.

Patients who have a treatment summary* report in the chart that was communicated to the physician(s) providing continuing care and to the patient within one month of completing treatment

S.5. Time Period for Data (What is the time period in which data will be aggregated for the measure, e.g., 12 mo, 3 years, look back to August for flu vaccination? Note if there are different time periods for the numerator and denominator.)

Once during measurement period

S.6. Numerator Details (All information required to identify and calculate the cases from the target population with the target process, condition, event, or outcome such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

IF an OUTCOME MEASURE, describe how the observed outcome is identified/counted. Calculation of the risk-adjusted outcome should be described in the calculation algorithm.

Definition: *Treatment Summary: a report that includes mention of all of the following components: 1) dose delivered; 2) relevant assessment of tolerance to and progress towards the treatment goals; and 3) subsequent care plans

Numerator Instructions: This measure should be reported once per course of radiation treatment – less than or equal to 30 days from the end of treatment.

For EHR:

eSpecification currently under development.

For Claims/Administrative:

Report CPT Category II code: 5020F - Treatment summary report communicated to physician(s) managing continuing care and to the patient within one month of completing treatment

S.7. Denominator Statement (Brief, narrative description of the target population being measured)

All patients, regardless of age, with a diagnosis of cancer who have undergone brachytherapy or external beam radiation therapy

S.8. Target Population Category (Check all the populations for which the measure is specified and tested if any):

Senior Care

S.9. Denominator Details (All information required to identify and calculate the target population/denominator such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

For EHR:

eSpecification currently under development.

For Claims/Administrative:

CPT® codes for external beam radiation therapy, weekly management or brachytherapy:

77427, 77431, 77432, 77435, 77470, 77761, 77762, 77763, 77776, 77777, 77778, 77785, 77786, 77787

AND

ICD-9-CM diagnosis codes: 140.0, 140.1, 140.3, 140.4, 140.5, 140.6, 140.8, 140.9, 141.0, 141.1, 141.2, 141.3, 141.4, 141.5, 141.6, 141.8, 141.9, 142.0, 142.1, 142.2, 142.8, 142.9, 143.0, 143.1, 143.8, 143.9, 144.0, 144.1, 144.8, 144.9, 145.0, 145.1, 145.2, 145.3, 145.4, 145.5, 145.6, 145.8, 145.9, 146.0, 146.1, 146.2, 146.3, 146.4, 146.5, 146.6, 146.7, 146.8, 146.9, 147.0, 147.1, 147.2, 147.3, 147.8, 147.9, 148.0, 148.1, 148.2, 148.3, 148.8, 148.9, 149.0, 149.1, 149.8, 149.9 (malignant neoplasm of lip, oral cavity and pharynx), 150.0, 150.1, 150.2, 150.3, 150.4, 150.5, 150.8, 150.9, 151.0, 151.1, 151.2, 151.3, 151.4, 151.5, 151.6, 151.8, 151.9, 152.0, 152.1, 152.2, 152.3, 152.8, 152.9, 153.0, 153.1, 153.2, 153.3, 153.4, 153.5, 153.6, 153.7, 153.8, 153.9, 154.0, 154.1, 154.2, 154.3, 154.8, 155.0, 155.1, 155.2, 156.0, 156.1, 156.2, 156.8, 156.9, 157.0, 157.1, 157.2, 157.3, 157.4, 157.8, 157.9, 158.0, 158.8, 158.9, 159.0, 159.1, 159.8, 159.9 (malignant neoplasm of digestive organs and peritoneum), 160.0, 160.1, 160.2, 160.3, 160.4, 160.5, 160.8, 160.9, 161.0, 161.1, 161.2, 161.3, 161.8, 161.9, 162.0, 162.2, 162.3, 162.4, 162.5, 162.8, 162.9, 163.0, 163.1, 163.8, 163.9, 164.0, 164.1, 164.2, 164.3, 164.8, 164.9, 165.0, 165.8, 165.9 (malignant neoplasm of respiratory and intrathoracic organs), 170.0, 170.1, 170.2, 170.3, 170.4, 170.5, 170.6, 170.7, 170.8, 170.9, 171.0, 171.2, 171.3, 171.4, 171.5, 171.6, 171.7, 171.8, 171.9, 172.0, 172.1, 172.2, 172.3, 172.4, 172.5, 172.6, 172.7, 172.8, 172.9, 173.0, 173.1, 173.2, 173.3, 173.4, 173.5, 173.6, 173.7, 173.8, 173.9, 174.0, 174.1, 174.2, 174.3, 174.4, 174.5, 174.6, 174.8, 174.9, 175.0, 175.9, 176.0, 176.1, 176.2, 176.3, 176.4, 176.5, 176.8, 176.9 (malignant neoplasm of bone, connective tissue, skin and breast), 179, 180.0, 180.1, 180.8, 180.9, 181, 182.0, 182.1, 182.8, 183.0, 183.2, 183.3, 183.4, 183.5, 183.8, 183.9, 184.0, 184.1, 184.2, 184.3, 184.4, 184.8, 184.9, 185, 186.0, 186.9, 187.1, 187.2, 187.3, 187.4, 187.5, 187.6, 187.7, 187.8, 187.9, 188.0, 188.1, 188.2, 188.3, 188.4, 188.5, 188.6, 188.7, 188.8, 188.9, 189.0, 189.1, 189.2, 189.3, 189.4, 189.8, 189.9 (malignant neoplasm of genitourinary organs), 190.0, 190.1, 190.2, 190.3, 190.4, 190.5, 190.6, 190.7, 190.8, 190.9, 191.0, 191.1, 191.2, 191.3, 191.4, 191.5, 191.6, 191.7, 191.8, 191.9, 192.0, 192.1, 192.2, 192.3, 192.8, 192.9, 193, 194.0, 194.1, 194.3, 194.4, 194.5, 194.6, 194.8, 194.9, 195.0, 195.1, 195.2, 195.3, 195.4, 195.5, 195.8, 196.0, 196.1, 196.2, 196.3, 196.5, 196.6, 196.8, 196.9, 197.0, 197.1, 197.2, 197.3, 197.4, 197.5, 197.6, 197.7, 197.8, 198.0, 198.1, 198.2, 198.3, 198.4, 198.5, 198.6, 198.7, 198.8, 198.9, 199.0, 199.1, 199.2 (malignant neoplasm of other and unspecified sites), 200.00, 200.01, 200.02, 200.03, 200.04, 200.05, 200.06, 200.07, 200.08, 200.10, 200.11, 200.12, 200.13, 200.14, 200.15, 200.16, 200.17, 200.18, 200.20, 200.21, 200.22, 200.23, 200.24, 200.25, 200.26, 200.27, 200.28, 200.30, 200.31, 200.32, 200.33, 200.34, 200.35, 200.36, 200.37, 200.38, 200.40, 200.41, 200.42, 200.43, 200.44, 200.45, 200.46, 200.47, 200.48, 200.50, 200.51, 200.52, 200.53, 200.54, 200.55, 200.56, 200.57, 200.58, 200.60, 200.61, 200.62, 200.63, 200.64, 200.65, 200.66, 200.67, 200.68, 200.70, 200.71, 200.72, 200.73, 200.74, 200.75, 200.76, 200.77, 200.78, 200.80, 200.81, 200.82, 200.83, 200.84, 200.85, 200.86, 200.87, 200.88, 201.00, 201.01, 201.02, 201.03, 201.04, 201.05, 201.06, 201.07, 201.08, 201.10, 201.11, 201.12, 201.13, 201.14, 201.15, 201.16, 201.17, 201.18, 201.20, 201.21, 201.22, 201.23, 201.24, 201.25, 201.26, 201.27, 201.28, 201.40, 201.41, 201.42, 201.43, 201.44, 201.45, 201.46, 201.47, 201.48, 201.50, 201.51, 201.52, 201.53, 201.54, 201.55, 201.56, 201.57, 201.58, 201.60, 201.61, 201.62, 201.63, 201.64, 201.65, 201.66, 201.67, 201.68, 201.70, 201.71, 201.72, 201.73, 201.74, 201.75, 201.76, 201.77, 201.78, 201.90, 201.91, 201.92, 201.93, 201.94, 201.95, 201.96, 201.97, 201.98, 202.00, 202.01, 202.02, 202.03, 202.04, 202.05, 202.06, 202.07, 202.08, 202.10, 202.11, 202.12, 202.13, 202.14, 202.15, 202.16, 202.17, 202.18, 202.20, 202.21, 202.22, 202.23, 202.24, 202.25, 202.26, 202.27, 202.28, 202.30, 202.31, 202.32, 202.33, 202.34, 202.35, 202.36, 202.37, 202.38, 202.40, 202.41, 202.42, 202.43, 202.44, 202.45, 202.46, 202.47, 202.48, 202.50, 202.51, 202.52, 202.53, 202.54, 202.55, 202.56, 202.57, 202.58, 202.60, 202.61, 202.62, 202.63, 202.64, 202.65, 202.66, 202.67, 202.68, 202.70, 202.71, 202.72, 202.73, 202.74, 202.75, 202.76, 202.77, 202.78, 202.80, 202.81, 202.82, 202.83, 202.84, 202.85, 202.86, 202.87, 202.88, 202.90, 202.91, 202.92, 202.93, 202.94, 202.95, 202.96, 202.97, 202.98, 203.00, 203.01, 203.02, 203.10, 203.11, 203.12, 203.80, 203.81, 203.82, 204.00, 204.01, 204.02, 204.10, 204.11, 204.12, 204.20, 204.21, 204.22, 204.80, 204.82, 204.81, 204.90, 204.91, 204.92, 205.00, 205.01, 205.02, 205.10, 205.11, 205.12, 205.20, 205.21, 205.22, 205.30, 205.31, 205.32, 205.80, 205.81, 205.82, 205.90, 205.91, 205.92, 206.00, 206.01, 206.02, 206.10, 206.11, 206.12, 206.20, 206.21, 206.22, 206.80, 206.81, 206.82, 206.90, 206.91, 206.92, 207.00, 207.01, 207.02, 207.10, 207.11, 207.12, 207.20, 207.21, 207.22, 207.80, 207.81, 207.82, 208.00, 208.01, 208.02, 208.10, 208.11, 208.12, 208.20, 208.21, 208.22, 208.80, 208.81, 208.82, 208.90, 208.91, 208.92 (malignant neoplasm of lymphatic and hematopoietic tissue), 209.00, 209.01, 209.02, 209.03, 209.10,

209.11, 209.12, 209.13, 209.14, 209.15, 206.16, 209.17, 209.20, 209.21, 209.22, 209.23, 209.24, 209.25, 209.26, 209.27, 209.29, 209.30 (neuroendocrine tumors), 209.31, 209.32, 209.33, 209.34, 209.35, 209.36, 209.70, 209.71, 209.72, 209.73, 209.74, 209.75, 209.79, 235.0, 235.1, 235.2, 235.3, 235.4, 235.5, 235.6, 235.7, 235.8, 235.9, 236.0, 236.1, 236.2, 236.3, 236.4, 236.5, 236.6, 236.7, 236.90, 236.91, 236.99, 237.0, 237.1, 237.2, 237.3, 237.4, 237.5, 237.6, 237.70, 237.71, 237.72, 237.9, 238.0, 238.1, 238.2, 238.3, 238.4, 238.5, 238.6, 238.71, 238.72, 238.73, 238.74, 238.75, 238.76, 238.77, 238.8, 238.9 (neoplasms of uncertain behavior), 239.0, 239.1, 239.2, 239.3, 239.4, 239.5, 239.6, 239.7, 239.81, 239.89, 239.9 (neoplasms of unspecified nature)

S.10. Denominator Exclusions *(Brief narrative description of exclusions from the target population)*

Documentation of a patient reason(s) for not communicating the treatment summary report to the physician(s) providing continuing care (eg, patient requests that report not be sent) and to the patient within one month of completing treatment

Documentation of a system reason(s) for not communicating the treatment summary report to the physician(s) providing continuing care (eg, patient does not have any physician responsible for providing continuing care) and to the patient within one month of completing treatment

S.11. Denominator Exclusion Details *(All information required to identify and calculate exclusions from the denominator such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)*

The PCPI methodology uses three categories of reasons for which a patient may be excluded from the denominator of an individual measure. These measure exception categories are not uniformly relevant across all measures; for each measure, there must be a clear rationale to permit an exception for a medical, patient, or system reason. Examples are provided in the measure exception language of instances that may constitute an exception and are intended to serve as a guide to clinicians. For this measure, exceptions may include patient (eg, patient requests that report not be sent) or system reason(s) (eg, patient does not have any physician responsible for providing continuing care) for not communicating the treatment summary report to the physician(s) providing continuing care and to the patient within one month of completing treatment. Where examples of exceptions are included in the measure language, these examples are coded and included in the eSpecifications. Although this methodology does not require the external reporting of more detailed exception data, the PCPI recommends that physicians document the specific reasons for exception in patients' medical records for purposes of optimal patient management and audit-readiness. The PCPI also advocates the systematic review and analysis of each physician's exceptions data to identify practice patterns and opportunities for quality improvement. For example, it is possible for implementers to calculate the percentage of patients that physicians have identified as meeting the criteria for exception. Additional details by data source are as follows:

For EHR:

eSpecification currently under development. Data elements (using Quality Data Model) required for the measure are attached.

For Claims/Administrative:

Documentation of patient reason(s) for not having a treatment summary report in the chart that was communicated to the physician(s) providing continuing care (eg, patient requests that report not be sent) and to the patient within one month of completing treatment

- Append modifier to CPT Category II code: 5020F-2P

Documentation of system reason(s) for not having a treatment summary report in the chart that was communicated to the physician(s) providing continuing care (eg, patient does not have any physician responsible for providing continuing care) and to the patient within one month of completing treatment

- Append modifier to CPT Category II code: 5020F-3P

S.12. Stratification Details/Variables *(All information required to stratify the measure results including the stratification variables, definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format with at S.2b)*

We encourage the results of this measure to be stratified by race, ethnicity, primary language, and administrative sex.

S.13. Risk Adjustment Type (Select type. Provide specifications for risk stratification in S.12 and for statistical model in S.14-15)

No risk adjustment or risk stratification

If other:

S.14. Identify the statistical risk model method and variables *(Name the statistical method - e.g., logistic regression and list all the*

risk factor variables. Note - risk model development and testing should be addressed with measure testing under Scientific Acceptability)

None

S.15. Detailed risk model specifications (must be in attached data dictionary/code list Excel or csv file. Also indicate if available at measure-specific URL identified in S.1.)

Note: Risk model details (including coefficients, equations, codes with descriptors, definitions), should be provided on a separate worksheet in the suggested format in the Excel or csv file with data dictionary/code lists at S.2b.

S.15a. Detailed risk model specifications (if not provided in excel or csv file at S.2b)

S.16. Type of score:

Rate/proportion

If other:

S.17. Interpretation of Score (Classifies interpretation of score according to whether better quality is associated with a higher score, a lower score, a score falling within a defined interval, or a passing score)

Better quality = Higher score

S.18. Calculation Algorithm/Measure Logic (Describe the calculation of the measure score as an ordered sequence of steps including identifying the target population; exclusions; cases meeting the target process, condition, event, or outcome; aggregating data; risk adjustment; etc.)

To calculate performance rates:

- 1) Find the patients who meet the initial patient population (ie, the general group of patients that the performance measure is designed to address).
- 2) From the patients within the initial patient population criteria, find the patients who qualify for the denominator (ie, the specific group of patients for inclusion in a specific performance measure based on defined criteria). Note: in some cases the initial patient population and denominator are identical.
- 3) From the patients within the denominator, find the patients who qualify for the numerator (ie, the group of patients in the denominator for whom a process or outcome of care occurs). Validate that the number of patients in the numerator is less than or equal to the number of patients in the denominator.
- 4) From the patients who did not meet the numerator criteria, determine if the physician has documented that the patient meets any criteria for denominator exception when exceptions have been specified. If the patient meets any exception criteria, they should be removed from the denominator for performance calculation. –Although exception cases are removed from the denominator population for the performance calculation, the number of patients with valid exceptions should be calculated and reported along with performance rates to track variations in care and highlight possible areas of focus for QI.

If the patient does not meet the numerator and a valid exception is not present, this case represents a quality failure.

S.19. Calculation Algorithm/Measure Logic Diagram URL or Attachment (You also may provide a diagram of the Calculation Algorithm/Measure Logic described above at measure-specific Web page URL identified in S.1 OR in attached appendix at A.1)

S.20. Sampling (If measure is based on a sample, provide instructions for obtaining the sample and guidance on minimum sample size.)

IF a PRO-PM, identify whether (and how) proxy responses are allowed.

Not applicable. The measure does not require sampling or a survey.

S.21. Survey/Patient-reported data (If measure is based on a survey, provide instructions for conducting the survey and guidance on minimum response rate.)

IF a PRO-PM, specify calculation of response rates to be reported with performance measure results.

S.22. Missing data (specify how missing data are handled, e.g., imputation, delete case.)

Required for Composites and PRO-PMs.

S.23. Data Source (Check *ONLY* the sources for which the measure is SPECIFIED AND TESTED).

If other, please describe in S.24.

Administrative claims, Electronic Clinical Data, Electronic Clinical Data : Electronic Health Record, Electronic Clinical Data : Registry, Paper Medical Records

S.24. Data Source or Collection Instrument (Identify the specific data source/data collection instrument e.g. name of database, clinical registry, collection instrument, etc.)

If a PRO-PM, identify the specific PROM(s); and standard methods, modes, and languages of administration.

Not Applicable

S.25. Data Source or Collection Instrument (available at measure-specific Web page URL identified in S.1 OR in attached appendix at A.1)

S.26. Level of Analysis (Check *ONLY* the levels of analysis for which the measure is SPECIFIED AND TESTED)

Clinician : Group/Practice, Clinician : Individual, Clinician : Team

S.27. Care Setting (Check *ONLY* the settings for which the measure is SPECIFIED AND TESTED)

Ambulatory Care : Clinician Office/Clinic, Other

If other: Radiation Oncology Dept/Clinic

S.28. COMPOSITE Performance Measure - Additional Specifications (Use this section as needed for aggregation and weighting rules, or calculation of individual performance measures if not individually endorsed.)

2a. Reliability – See attached Measure Testing Submission Form

2b. Validity – See attached Measure Testing Submission Form

0381_MeasureTesting_MSF5.0_Data.doc

3. Feasibility

Extent to which the specifications including measure logic, require data that are readily available or could be captured without undue burden and can be implemented for performance measurement.

3a. Byproduct of Care Processes

For clinical measures, the required data elements are routinely generated and used during care delivery (e.g., blood pressure, lab test, diagnosis, medication order).

3a.1. Data Elements Generated as Byproduct of Care Processes.

generated by and used by healthcare personnel during the provision of care, e.g., blood pressure, lab value, medical condition

If other:

3b. Electronic Sources

The required data elements are available in electronic health records or other electronic sources. If the required data are not in electronic health records or existing electronic sources, a credible, near-term path to electronic collection is specified.

3b.1. To what extent are the specified data elements available electronically in defined fields? (i.e., data elements that are needed to compute the performance measure score are in defined, computer-readable fields)

ALL data elements are in defined fields in electronic health records (EHRs)

3b.2. If ALL the data elements needed to compute the performance measure score are not from electronic sources, specify a credible, near-term path to electronic capture, OR provide a rationale for using other than electronic sources.

3b.3. If this is an eMeasure, provide a summary of the feasibility assessment in an attached file or make available at a measure-specific URL.

Attachment:

3c. Data Collection Strategy

Demonstration that the data collection strategy (e.g., source, timing, frequency, sampling, patient confidentiality, costs associated with fees/licensing of proprietary measures) can be implemented (e.g., already in operational use, or testing demonstrates that it is ready to put into operational use). For eMeasures, a feasibility assessment addresses the data elements and measure logic and demonstrates the eMeasure can be implemented or feasibility concerns can be adequately addressed.

3c.1. Describe what you have learned/modified as a result of testing and/or operational use of the measure regarding data collection, availability of data, missing data, timing and frequency of data collection, sampling, patient confidentiality, time and cost of data collection, other feasibility/implementation issues.

IF a PRO-PM, consider implications for both individuals providing PROM data (patients, service recipients, respondents) and those whose performance is being measured.

This measure was found to be reliable and feasible for implementation.

3c.2. Describe any fees, licensing, or other requirements to use any aspect of the measure as specified (e.g., value/code set, risk model, programming code, algorithm).

4. Usability and Use

Extent to which potential audiences (e.g., consumers, purchasers, providers, policy makers) are using or could use performance results for both accountability and performance improvement to achieve the goal of high-quality, efficient healthcare for individuals or populations.

4a. Accountability and Transparency

Performance results are used in at least one accountability application within three years after initial endorsement and are publicly reported within six years after initial endorsement (or the data on performance results are available). If not in use at the time of initial endorsement, then a credible plan for implementation within the specified timeframes is provided.

4.1. Current and Planned Use

NQF-endorsed measures are expected to be used in at least one accountability application within 3 years and publicly reported within 6 years of initial endorsement in addition to performance improvement.

Planned	Current Use (for current use provide URL)
Public Reporting	
Professional Certification or Recognition Program	
Quality Improvement (Internal to the specific organization)	

4a.1. For each CURRENT use, checked above, provide:

- Name of program and sponsor
- Purpose
- Geographic area and number and percentage of accountable entities and patients included

4a.2. If not currently publicly reported OR used in at least one other accountability application (e.g., payment program, certification, licensing) what are the reasons? (e.g., Do policies or actions of the developer/steward or accountable entities restrict access to performance results or impede implementation?)

4a.3. If not currently publicly reported OR used in at least one other accountability application, provide a credible plan for implementation within the expected timeframes -- any accountability application within 3 years and publicly reported within 6 years of initial endorsement. (*Credible plan includes the specific program, purpose, intended audience, and timeline for implementing the measure within the specified timeframes. A plan for accountability applications addresses mechanisms for data aggregation and reporting.*)

4b. Improvement

Progress toward achieving the goal of high-quality, efficient healthcare for individuals or populations is demonstrated. If not in use for performance improvement at the time of initial endorsement, then a credible rationale describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

4b.1. Progress on Improvement. (Not required for initial endorsement unless available.)

Performance results on this measure (current and over time) should be provided in 1b.2 and 1b.4. Discuss:

- Progress (trends in performance results, number and percentage of people receiving high-quality healthcare)
- Geographic area and number and percentage of accountable entities and patients included

4b.2. If no improvement was demonstrated, what are the reasons? If not in use for performance improvement at the time of initial endorsement, provide a credible rationale that describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

4c. Unintended Consequences

The benefits of the performance measure in facilitating progress toward achieving high-quality, efficient healthcare for individuals or populations outweigh evidence of unintended negative consequences to individuals or populations (if such evidence exists).

4c.1. Were any unintended negative consequences to individuals or populations identified during testing; OR has evidence of unintended negative consequences to individuals or populations been reported since implementation? If so, identify the negative unintended consequences and describe how benefits outweigh them or actions taken to mitigate them.

We are not aware of any unintended consequences related to this measurement.

5. Comparison to Related or Competing Measures

If a measure meets the above criteria and there are endorsed or new related measures (either the same measure focus or the same target population) or competing measures (both the same measure focus and the same target population), the measures are compared to address harmonization and/or selection of the best measure.

5. Relation to Other NQF-endorsed Measures

Are there related measures (conceptually, either same measure focus or target population) or competing measures (conceptually both the same measure focus and same target population)? If yes, list the NQF # and title of all related and/or competing measures.

5.1a. List of related or competing measures (selected from NQF-endorsed measures)

5.1b. If related or competing measures are not NQF endorsed please indicate measure title and steward.

5a. Harmonization

The measure specifications are harmonized with related measures;

OR

The differences in specifications are justified

5a.1. If this measure conceptually addresses EITHER the same measure focus OR the same target population as NQF-endorsed measure(s):

Are the measure specifications completely harmonized?

5a.2. If the measure specifications are not completely harmonized, identify the differences, rationale, and impact on interpretability and data collection burden.

5b. Competing Measures

The measure is superior to competing measures (e.g., is a more valid or efficient way to measure);

OR

Multiple measures are justified.

5b.1. If this measure conceptually addresses both the same measure focus and the same target population as NQF-endorsed measure(s):

Describe why this measure is superior to competing measures (e.g., a more valid or efficient way to measure quality); OR provide a rationale for the additive value of endorsing an additional measure. (Provide analyses when possible.)

[No related or competing measures.](#)

Appendix

A.1 Supplemental materials may be provided in an appendix. All supplemental materials (such as data collection instrument or methodology reports) should be organized in one file with a table of contents or bookmarks. If material pertains to a specific submission form number, that should be indicated. Requested information should be provided in the submission form and required attachments. There is no guarantee that supplemental materials will be reviewed.

Attachment:

Contact Information

Co.1 Measure Steward (Intellectual Property Owner): [American Medical Association - Physician Consortium for Performance Improvement \(AMA-PCPI\)](#)

Co.2 Point of Contact: [Mark S., Antman, DDS, MBA, mark.antman@ama-assn.org, 312-464-5056-](#)

Co.3 Measure Developer if different from Measure Steward: [American Medical Association - Physician Consortium for Performance Improvement \(AMA-PCPI\)](#)

Co.4 Point of Contact: [Samantha, Tierney, samantha.tierney@ama-assn.org, 312-464-5524-](#)

Additional Information

Ad.1 Workgroup/Expert Panel involved in measure development

Provide a list of sponsoring organizations and workgroup/panel members' names and organizations. Describe the members' role in measure development.

[Patricia Ganz, MD \(Co-Chair\)](#)

[James Hayman, MD \(Co-Chair\)](#)

[Joseph Bailes, MD](#)

[Nancy Baxter, MD, PhD](#)

[Joel V. Brill, MD](#)

[Steven B. Clauser, PhD](#)

[Charles Cleeland, PhD](#)

[J. Thomas Cross, Jr. MD, MPH](#)

[Chaitanya R. Divgi, MD](#)

[Stephen B. Edge, MD](#)

[Patrick L. Fitzgibbons, MD](#)

[Myron Goldsmith, MD](#)

[Joel W. Goldwein, MD](#)

[Alecia Hathaway, MD, MPH](#)

Kevin P. Hubbard, DO
Nora Janjan, MD, MPSA
Maria Kelly, MB, BCh
Wayne Koch, MD
Andre Konski, MD
Len Lichtenfeld, MD
Norman J. Marcus, MD
Catherine Miyamoto, RN, BSN
Michael Neuss, MD
David F. Penson, MD, MPH
Louis Potters, MD
John M. Rainey, MD
Christopher M. Rose, MD
Lee Smith, MD
Lawrence A. Solberg, MD, PhD
Paul E. Wallner, MD
J. Frank Wilson, MD
Rodger Winn, MD

PCPI measures are developed through cross-specialty, multi-disciplinary work groups. All medical specialties and other health care professional disciplines participating in patient care for the clinical condition or topic under study are invited to participate as equal contributors to the measure development process. In addition, the PCPI strives to include on its work groups individuals representing the perspectives of patients, consumers, private health plans, and employers. This broad-based approach to measure development ensures buy-in on the measures from all stakeholders and minimizes bias toward any individual specialty or stakeholder group. All work groups have at least two co-chairs who have relevant clinical and/or measure development expertise and who are responsible for ensuring that consensus is achieved and that all perspectives are voiced.

Measure Developer/Steward Updates and Ongoing Maintenance

Ad.2 Year the measure was first released: 2007

Ad.3 Month and Year of most recent revision: 12, 2011

Ad.4 What is your frequency for review/update of this measure? Coding/specifications updates occur annually. See additional information below.

Ad.5 When is the next scheduled review/update for this measure? 2012

Ad.6 Copyright statement: Physician Performance Measures (Measures) and related data specifications, developed by the Physician Consortium for Performance Improvement™ (the Consortium), are intended to facilitate quality improvement activities by physicians.

These Measures are intended to assist physicians in enhancing quality of care. Measures are designed for use by any physician who manages the care of a patient for a specific condition or for prevention. These performance Measures are not clinical guidelines and do not establish a standard of medical care. The Consortium has not tested its Measures for all potential applications. The Consortium encourages the testing and evaluation of its Measures.

Measures are subject to review and may be revised or rescinded at any time by the Consortium. The Measures may not be altered without the prior written approval of the Consortium. Measures developed by the Consortium, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and American Medical Association, on behalf of the Consortium. Neither the Consortium nor its members shall be responsible for any use of these Measures.

THE MEASURES ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND

© 2007 American Medical Association. All Rights Reserved

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, the Consortium and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

THE SPECIFICATIONS ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND.

Ad.7 Disclaimers: See copyright statement above.

Ad.8 Additional Information/Comments: The PCPI has a formal measurement review process that stipulates regular (usually on a three-year cycle, when feasible) review of the measures. The process can also be activated if there is a major change in scientific evidence, results from testing or other issues are noted that materially affect the integrity of the measure.