



Measure Information

This document contains the information submitted by measure developers/stewards, but is organized according to NQF's measure evaluation criteria and process. The item numbers refer to those in the submission form but may be in a slightly different order here. In general, the item numbers also reference the related criteria (e.g., item 1b.1 relates to subcriterion 1b).

Brief Measure Information
<p>NQF #: 0391</p> <p>De.2. Measure Title: Breast Cancer Resection Pathology Reporting- pT category (primary tumor) and pN category (regional lymph nodes) with histologic grade</p> <p>Co.1.1. Measure Steward: College of American Pathologists</p> <p>De.3. Brief Description of Measure: Percentage of breast cancer resection pathology reports that include the pT category (primary tumor), the pN category (regional lymph nodes) and the histologic grade.</p> <p>1b.1. Developer Rationale: A complete set of pathology descriptors is necessary for breast cancer management. This is so that the doctor can track the stages of the cancer. If a cancer resection pathology report is not complete this can lead to incorrect classification as well as delays in the treatment process. The evidence based checklist produced by The College of American Pathologists (CAP) contains essential pathologic parameters that are recommended to be included in cancer resection pathology reports.</p>
<p>S.4. Numerator Statement: Reports that include the pT category, the pN category and the histologic grade</p> <p>S.7. Denominator Statement: All breast cancer resection pathology reports (excluding biopsies)</p> <p>S.10. Denominator Exclusions: Documentation of medical reason(s) for not including the pT category, the pN category or the histologic grade (eg; re-excision without residual tumor; non-carcinomas)</p>
<p>De.1. Measure Type: Outcome</p> <p>S.23. Data Source: Electronic Clinical Data, Electronic Clinical Data : Electronic Health Record, Electronic Clinical Data : Laboratory, Electronic Clinical Data : Registry, Paper Medical Records</p> <p>S.26. Level of Analysis: Clinician : Group/Practice, Clinician : Individual, Clinician : Team</p>
<p>IF Endorsement Maintenance – Original Endorsement Date: Jul 31, 2008 Most Recent Endorsement Date: Oct 22, 2012</p>
<p>IF this measure is included in a composite, NQF Composite#/title:</p> <p>IF this measure is paired/grouped, NQF#/title:</p> <p>De.4. IF PAIRED/GROUPED, what is the reason this measure must be reported with other measures to appropriately interpret results?</p>

1. Evidence, Performance Gap, Priority – Importance to Measure and Report
<p>Extent to which the specific measure focus is evidence-based, important to making significant gains in healthcare quality, and improving health outcomes for a specific high-priority (high-impact) aspect of healthcare where there is variation in or overall less-than-optimal performance. Measures must be judged to meet all subcriteria to pass this criterion and be evaluated against the remaining criteria.</p>
<p>1a. Evidence to Support the Measure Focus – See attached Evidence Submission Form 0391_Evidence_MSF5.0_Data-635278494975172214.doc</p>
<p>1b. Performance Gap Demonstration of quality problems and opportunity for improvement, i.e., data demonstrating:</p>

- considerable variation, or overall less-than-optimal performance, in the quality of care across providers; and/or
- disparities in care across population groups.

1b.1. Briefly explain the rationale for this measure (e.g., the benefits or improvements in quality envisioned by use of this measure)
A complete set of pathology descriptors is necessary for breast cancer management. This is so that the doctor can track the stages of the cancer. If a cancer resection pathology report is not complete this can lead to incorrect classification as well as delays in the treatment process. The evidence based checklist produced by The College of American Pathologists (CAP) contains essential pathologic parameters that are recommended to be included in cancer resection pathology reports.

1b.2. Provide performance scores on the measure as specified (current and over time) at the specified level of analysis. (This is required for endorsement maintenance. Include mean, std dev, min, max, interquartile range, scores by decile. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities included). This information also will be used to address the subcriterion on improvement (4b.1) under Usability and Use.
The CAP recently conducted a structured audit of breast cancer pathology report adequacy at 86 institutions. Overall, 32% of eligible reports were missing at least one of the ten CAP-recommended breast cancer elements.

CMS Physician Quality Reporting Initiative/System (PQRI/S)

This measure was used in the 2008 (claims), 2009 (claims and registry) and 2010 (claims and registry) CMS Physician Quality Reporting Initiative/System (PQRI/S) as #99 Breast Cancer Patients with a pT and pN category and histological grade. There is a gap in care as shown by this 2008 data; with 35.87% of patients reported on not receiving the optimal care.

10th percentile: 25.00%
25th percentile: 50.00%
50th percentile: 75.00%
75th percentile: 100.00%
90th percentile: 100.00%

1b.3. If no or limited performance data on the measure as specified is reported in 1b2, then provide a summary of data from the literature that indicates opportunity for improvement or overall less than optimal performance on the specific focus of measurement.

Idowu MO, Bekeris LG, et al. Adequacy of Surgical Pathology Reporting of Cancer: A College of American Pathologists Q-Probes Study of 86 institutions. Arch Pathol Lab Med-Vol 134, July 2010.

Confidential CMS PQRI 2008 Performance Information by Measure. Jan-Sept TAP file

1b.4. Provide disparities data from the measure as specified (current and over time) by population group, e.g., by race/ethnicity, gender, age, insurance status, socioeconomic status, and/or disability. (This is required for endorsement maintenance. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities include.) This information also will be used to address the subcriterion on improvement (4b.1) under Usability and Use.

We are not aware of any publications/evidence outlining disparities in pathologic reporting however the National Cancer Institute and AHRQ's National Healthcare Disparities Report has shown that disparities exist in cancer incidence and deaths by race, ethnicity and socioeconomic status.

1b.5. If no or limited data on disparities from the measure as specified is reported in 1b4, then provide a summary of data from the literature that addresses disparities in care on the specific focus of measurement. Include citations.

Harper S, Lynch J. Methods for Measuring Cancer Disparities: Using Data Relevant to Healthy People 2010 Cancer-Related Objectives. Cancer Control Monograph Series, No. 6. Bethesda, MD: National Cancer Institute; 2005. NIH publication 05-5777.

Agency for Healthcare Research and Quality. 2010 National Healthcare Disparities Report.
<http://www.ahrq.gov/qual/nhdr10/nhdr10.pdf>. Published March 2011. Accessed January 3, 2011.

1c. High Priority (previously referred to as High Impact)
The measure addresses:

- a specific national health goal/priority identified by DHHS or the National Priorities Partnership convened by NQF; OR
- a demonstrated high-priority (high-impact) aspect of healthcare (e.g., affects large numbers of patients and/or has a substantial impact for a smaller population; leading cause of morbidity/mortality; high resource use (current and/or future); severity of illness; and severity of patient/societal consequences of poor quality).

1c.1. Demonstrated high priority aspect of healthcare

Affects large numbers, A leading cause of morbidity/mortality, Severity of illness

1c.2. If Other:

1c.3. Provide epidemiologic or resource use data that demonstrates the measure addresses a high priority aspect of healthcare.

List citations in 1c.4.

The American Cancer Society's most recent estimates for breast cancer in the United States are for 2011:

- About 230,480 new cases of invasive breast cancer will be diagnosed in women.
- About 57,650 new cases of carcinoma in situ (CIS) will be diagnosed (CIS is non-invasive and is the earliest form of breast cancer).
- About 39,520 women will die from breast cancer

Breast cancer is the second leading cause of cancer death in women, exceeded only by lung cancer. The chance that breast cancer will be responsible for a woman's death is about 1 in 36 (about 3%).

1c.4. Citations for data demonstrating high priority provided in 1a.3

The American Cancer Society. Cancer Facts and Figures 2011. Available here:

<http://www.cancer.org/Research/CancerFactsFigures/index>

1c.5. If a PRO-PM (e.g. HRQoL/functional status, symptom/burden, experience with care, health-related behaviors), provide evidence that the target population values the measured PRO and finds it meaningful. (Describe how and from whom their input was obtained.)

2. Reliability and Validity—Scientific Acceptability of Measure Properties

Extent to which the measure, as specified, produces consistent (reliable) and credible (valid) results about the quality of care when implemented. **Measures must be judged to meet the subcriteria for both reliability and validity to pass this criterion and be evaluated against the remaining criteria.**

2a.1. Specifications The measure is well defined and precisely specified so it can be implemented consistently within and across organizations and allows for comparability. eMeasures should be specified in the Health Quality Measures Format (HQMF) and the Quality Data Model (QDM).

De.5. Subject/Topic Area (check all the areas that apply):

Cancer, Cancer : Breast

De.6. Cross Cutting Areas (check all the areas that apply):

S.1. Measure-specific Web Page (Provide a URL link to a web page specific for this measure that contains current detailed specifications including code lists, risk model details, and supplemental materials. Do not enter a URL linking to a home page or to general information.)

www.physicianconsortium.org

S.2a. If this is an eMeasure, HQMF specifications must be attached. Attach the zipped output from the eMeasure authoring tool (MAT) - if the MAT was not used, contact staff. (Use the specification fields in this online form for the plain-language description of the specifications)

Attachment:

S.2b. Data Dictionary, Code Table, or Value Sets (and risk model codes and coefficients when applicable) must be attached. (Excel or csv file in the suggested format preferred - if not, contact staff)

Attachment **Attachment:** [AMA-PCPI_0391_PATH BreastCancerResectionPathologyReporting_DataElements_1 2012-635289371759101865-635931410244801631.pdf](#)

S.3. For endorsement maintenance, please briefly describe any changes to the measure specifications since last endorsement date and explain the reasons.

S.4. Numerator Statement (Brief, narrative description of the measure focus or what is being measured about the target population, i.e., cases from the target population with the target process, condition, event, or outcome)

IF an OUTCOME MEASURE, state the outcome being measured. Calculation of the risk-adjusted outcome should be described in the calculation algorithm.

[Reports that include the pT category, the pN category and the histologic grade](#)

S.5. Time Period for Data (What is the time period in which data will be aggregated for the measure, e.g., 12 mo, 3 years, look back to August for flu vaccination? Note if there are different time periods for the numerator and denominator.)

[Each final report during measurement period](#)

S.6. Numerator Details (All information required to identify and calculate the cases from the target population with the target process, condition, event, or outcome such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

IF an OUTCOME MEASURE, describe how the observed outcome is identified/counted. Calculation of the risk-adjusted outcome should be described in the calculation algorithm.

For EHR:

[eSpecification currently under development. Data elements \(using Quality Data Model\) required for the measure attached.](#)

For Claims Specifications

CPT Category II code:

[3260F – pT \(primary tumor\), pN \(regional lymph node\), and histologic grade documented in pathology report](#)

S.7. Denominator Statement (Brief, narrative description of the target population being measured)

[All breast cancer resection pathology reports \(excluding biopsies\)](#)

S.8. Target Population Category (Check all the populations for which the measure is specified and tested if any):

[Senior Care](#)

S.9. Denominator Details (All information required to identify and calculate the target population/denominator such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

For EHR: [eSpecification currently under development. Data elements \(using Quality Data Model\) required for the measure attached.](#)

For Claims/Administrative:

[ICD-10-CM diagnosis codes: C50.011, C50.012, C50.019, C50.111, C50.112, C50.119, C50.211, C50.212, C50.219, C50.311, C50.312, C50.319, C50.411, C50.412, C50.419, C50.511, C50.512, C50.519, C50.611, C50.612, C50.619, C50.811, C50.812, C50.819, C50.911, C50.912, C50.919, C50.021, C50.022, C50.029, C50.121, C50.122, C50.129, C50.221, C50.222, C50.229, C50.321, C50.322, C50.329, C50.421, C50.422, C50.429, C50.521, C50.522, C50.529, C50.621, C50.622, C50.629, C50.821, C50.822, C50.829, C50.921, C50.922, C50.929](#)

[AND](#)

[CPT Codes: 88307, 88309](#)

S.10. Denominator Exclusions (Brief narrative description of exclusions from the target population)

Documentation of medical reason(s) for not including the pT category, the pN category or the histologic grade (eg; re-excision without residual tumor; non-carcinomas)

S.11. Denominator Exclusion Details (All information required to identify and calculate exclusions from the denominator such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

The PCPI methodology uses three categories of reasons for which a patient may be excluded from the denominator of an individual measure. These measure exception categories are not uniformly relevant across all measures; for each measure, there must be a clear rationale to permit an exception for a medical, patient, or system reason. Examples are provided in the measure exception language of instances that may constitute an exception and are intended to serve as a guide to clinicians. For this measure exceptions may include documentation of medical reason(s) for not including the pT category, the pN category or the histologic grade (eg; re-excision without residual tumor). Where examples of exceptions are included in the measure language, these examples are coded and included in the eSpecifications. Although this methodology does not require the external reporting of more detailed exception data, the PCPI recommends that physicians document the specific reasons for exception in patients' medical records for purposes of optimal patient management and audit-readiness. The PCPI also advocates the systematic review and analysis of each physician's exceptions data to identify practice patterns and opportunities for quality improvement. For example, it is possible for implementers to calculate the percentage of patients that physicians have identified as meeting the criteria for exception. Additional details by data source are as follows:

For EHR:

eSpecification currently under development. Data elements (using Quality Data Model) required for the measure attached.

For Claims/Administrative:

Documentation of medical reason(s) for not including the pT category, the pN category or the histologic grade (eg; re-excision without residual tumor)

Append modifier to CPT Category II code: 3260F-1P

OR

If the specimen is not primary breast tissue (e.g., liver, lung) report:

CPT II 3250F: Specimen site other than anatomic location of primary tumor

S.12. Stratification Details/Variables (All information required to stratify the measure results including the stratification variables, definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format with at S.2b)

We encourage the results of this measure to be stratified by race, ethnicity, primary language, and administrative sex, and have included these variables as recommended data elements to be collected.

S.13. Risk Adjustment Type (Select type. Provide specifications for risk stratification in S.12 and for statistical model in S.14-15)

No risk adjustment or risk stratification

If other:

S.14. Identify the statistical risk model method and variables (Name the statistical method - e.g., logistic regression and list all the risk factor variables. Note - risk model development and testing should be addressed with measure testing under Scientific Acceptability)

No risk adjustment or risk stratification.

S.15. Detailed risk model specifications (must be in attached data dictionary/code list Excel or csv file. Also indicate if available at measure-specific URL identified in S.1.)

Note: Risk model details (including coefficients, equations, codes with descriptors, definitions), should be provided on a separate worksheet in the suggested format in the Excel or csv file with data dictionary/code lists at S.2b.

S.15a. Detailed risk model specifications (if not provided in excel or csv file at S.2b)

S.16. Type of score:

Rate/proportion

If other:

S.17. Interpretation of Score (Classifies interpretation of score according to whether better quality is associated with a higher score, a lower score, a score falling within a defined interval, or a passing score)

Better quality = Higher score

S.18. Calculation Algorithm/Measure Logic (Describe the calculation of the measure score as an ordered sequence of steps including identifying the target population; exclusions; cases meeting the target process, condition, event, or outcome; aggregating data; risk adjustment; etc.)

To calculate performance rates:

- 1) Find the patients who meet the initial patient population (ie, the general group of patients that the performance measure is designed to address).
- 2) From the patients within the initial patient population criteria, find the patients who qualify for the denominator (ie, the specific group of patients for inclusion in a specific performance measure based on defined criteria). Note: in some cases the initial patient population and denominator are identical.
- 3) From the patients within the denominator, find the patients who qualify for the Numerator (ie, the group of patients in the denominator for whom a process or outcome of care occurs). Validate that the number of patients in the numerator is less than or equal to the number of patients in the denominator
- 4) From the patients who did not meet the numerator criteria, determine if the physician has documented that the patient meets any criteria for denominator exception when exceptions have been specified [for this measure: exceptions may include documentation of medical reason(s) for not including the pT category, the pN category or the histologic grade (eg; re-excision without residual tumor)]. If the patient meets any exception criteria, they should be removed from the denominator for performance calculation. --Although the exception cases are removed from the denominator population for the performance calculation, the number of patients with valid exceptions should be calculated and reported along with performance rates to track variations in care and highlight possible areas of focus for QI.

If the patient does not meet the numerator and a valid exception is not present, this case represents a quality failure.

See calculation algorithm attached in 2a1.21.

S.19. Calculation Algorithm/Measure Logic Diagram URL or Attachment (You also may provide a diagram of the Calculation Algorithm/Measure Logic described above at measure-specific Web page URL identified in S.1 OR in attached appendix at A.1)

S.20. Sampling (If measure is based on a sample, provide instructions for obtaining the sample and guidance on minimum sample size.)

IF a PRO-PM, identify whether (and how) proxy responses are allowed.

Not applicable. The measure does not require sampling or a survey.

S.21. Survey/Patient-reported data (If measure is based on a survey, provide instructions for conducting the survey and guidance on minimum response rate.)

IF a PRO-PM, specify calculation of response rates to be reported with performance measure results.

S.22. Missing data (specify how missing data are handled, e.g., imputation, delete case.)

Required for Composites and PRO-PMs.

S.23. Data Source (Check ONLY the sources for which the measure is SPECIFIED AND TESTED).

If other, please describe in S.24.

Electronic Clinical Data, Electronic Clinical Data : Electronic Health Record, Electronic Clinical Data : Laboratory, Electronic Clinical Data : Registry, Paper Medical Records

S.24. Data Source or Collection Instrument (Identify the specific data source/data collection instrument e.g. name of database, clinical registry, collection instrument, etc.)

IF a PRO-PM, identify the specific PROM(s); and standard methods, modes, and languages of administration.

Not Applicable

S.25. Data Source or Collection Instrument (available at measure-specific Web page URL identified in S.1 OR in attached appendix at A.1)

S.26. Level of Analysis (Check ONLY the levels of analysis for which the measure is SPECIFIED AND TESTED)

Clinician : Group/Practice, Clinician : Individual, Clinician : Team

S.27. Care Setting (Check ONLY the settings for which the measure is SPECIFIED AND TESTED)

Ambulatory Care : Clinician Office/Clinic, Laboratory

If other:

S.28. COMPOSITE Performance Measure - Additional Specifications (Use this section as needed for aggregation and weighting rules, or calculation of individual performance measures if not individually endorsed.)

2a. Reliability – See attached Measure Testing Submission Form

2b. Validity – See attached Measure Testing Submission Form

0391_MeasureTesting_MS5.0_Data-635278494975172214.doc

3. Feasibility

Extent to which the specifications including measure logic, require data that are readily available or could be captured without undue burden and can be implemented for performance measurement.

3a. Byproduct of Care Processes

For clinical measures, the required data elements are routinely generated and used during care delivery (e.g., blood pressure, lab test, diagnosis, medication order).

3a.1. Data Elements Generated as Byproduct of Care Processes.

generated by and used by healthcare personnel during the provision of care, e.g., blood pressure, lab value, medical condition

If other:

3b. Electronic Sources

The required data elements are available in electronic health records or other electronic sources. If the required data are not in electronic health records or existing electronic sources, a credible, near-term path to electronic collection is specified.

3b.1. To what extent are the specified data elements available electronically in defined fields? (i.e., data elements that are needed to compute the performance measure score are in defined, computer-readable fields)

ALL data elements are in defined fields in electronic health records (EHRs)

3b.2. If ALL the data elements needed to compute the performance measure score are not from electronic sources, specify a credible, near-term path to electronic capture, OR provide a rationale for using other than electronic sources.

3b.3. If this is an eMeasure, provide a summary of the feasibility assessment in an attached file or make available at a measure-specific URL.

Attachment:

3c. Data Collection Strategy

Demonstration that the data collection strategy (e.g., source, timing, frequency, sampling, patient confidentiality, costs associated with fees/licensing of proprietary measures) can be implemented (e.g., already in operational use, or testing

demonstrates that it is ready to put into operational use). For eMeasures, a feasibility assessment addresses the data elements and measure logic and demonstrates the eMeasure can be implemented or feasibility concerns can be adequately addressed.

3c.1. Describe what you have learned/modified as a result of testing and/or operational use of the measure regarding data collection, availability of data, missing data, timing and frequency of data collection, sampling, patient confidentiality, time and cost of data collection, other feasibility/implementation issues.

IF a PRO-PM, consider implications for both individuals providing PROM data (patients, service recipients, respondents) and those whose performance is being measured.

This measure was found to be reliable and feasible for implementation.

3c.2. Describe any fees, licensing, or other requirements to use any aspect of the measure as specified (e.g., value/code set, risk model, programming code, algorithm).

4. Usability and Use

Extent to which potential audiences (e.g., consumers, purchasers, providers, policy makers) are using or could use performance results for both accountability and performance improvement to achieve the goal of high-quality, efficient healthcare for individuals or populations.

4a. Accountability and Transparency

Performance results are used in at least one accountability application within three years after initial endorsement and are publicly reported within six years after initial endorsement (or the data on performance results are available). If not in use at the time of initial endorsement, then a credible plan for implementation within the specified timeframes is provided.

4.1. Current and Planned Use

NQF-endorsed measures are expected to be used in at least one accountability application within 3 years and publicly reported within 6 years of initial endorsement in addition to performance improvement.

Planned	Current Use (for current use provide URL)
Public Reporting	
Professional Certification or Recognition Program	
Quality Improvement (Internal to the specific organization)	

4a.1. For each CURRENT use, checked above, provide:

- Name of program and sponsor
- Purpose
- Geographic area and number and percentage of accountable entities and patients included

4a.2. If not currently publicly reported OR used in at least one other accountability application (e.g., payment program, certification, licensing) what are the reasons? (e.g., Do policies or actions of the developer/steward or accountable entities restrict access to performance results or impede implementation?)

4a.3. If not currently publicly reported OR used in at least one other accountability application, provide a credible plan for implementation within the expected timeframes -- any accountability application within 3 years and publicly reported within 6 years of initial endorsement. (Credible plan includes the specific program, purpose, intended audience, and timeline for implementing the measure within the specified timeframes. A plan for accountability applications addresses mechanisms for data

aggregation and reporting.)

4b. Improvement

Progress toward achieving the goal of high-quality, efficient healthcare for individuals or populations is demonstrated. If not in use for performance improvement at the time of initial endorsement, then a credible rationale describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

4b.1. Progress on Improvement. (Not required for initial endorsement unless available.)

Performance results on this measure (current and over time) should be provided in 1b.2 and 1b.4. Discuss:

- Progress (trends in performance results, number and percentage of people receiving high-quality healthcare)
- Geographic area and number and percentage of accountable entities and patients included

4b.2. If no improvement was demonstrated, what are the reasons? If not in use for performance improvement at the time of initial endorsement, provide a credible rationale that describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

4c. Unintended Consequences

The benefits of the performance measure in facilitating progress toward achieving high-quality, efficient healthcare for individuals or populations outweigh evidence of unintended negative consequences to individuals or populations (if such evidence exists).

4c.1. Were any unintended negative consequences to individuals or populations identified during testing; OR has evidence of unintended negative consequences to individuals or populations been reported since implementation? If so, identify the negative unintended consequences and describe how benefits outweigh them or actions taken to mitigate them.

We are not aware of any unintended consequences related to this measurement.

5. Comparison to Related or Competing Measures

If a measure meets the above criteria and there are endorsed or new related measures (either the same measure focus or the same target population) or competing measures (both the same measure focus and the same target population), the measures are compared to address harmonization and/or selection of the best measure.

5. Relation to Other NQF-endorsed Measures

Are there related measures (conceptually, either same measure focus or target population) or competing measures (conceptually both the same measure focus and same target population)? If yes, list the NQF # and title of all related and/or competing measures.

5.1a. List of related or competing measures (selected from NQF-endorsed measures)

5.1b. If related or competing measures are not NQF endorsed please indicate measure title and steward.

5a. Harmonization

The measure specifications are harmonized with related measures;

OR

The differences in specifications are justified

5a.1. If this measure conceptually addresses EITHER the same measure focus OR the same target population as NQF-endorsed measure(s):

Are the measure specifications completely harmonized?

5a.2. If the measure specifications are not completely harmonized, identify the differences, rationale, and impact on interpretability and data collection burden.

5b. Competing Measures

The measure is superior to competing measures (e.g., is a more valid or efficient way to measure);

OR

Multiple measures are justified.

5b.1. If this measure conceptually addresses both the same measure focus and the same target population as NQF-endorsed measure(s):

Describe why this measure is superior to competing measures (e.g., a more valid or efficient way to measure quality); OR provide a rationale for the additive value of endorsing an additional measure. (Provide analyses when possible.)

[No related or competing measures.](#)

Appendix

A.1 Supplemental materials may be provided in an appendix. All supplemental materials (such as data collection instrument or methodology reports) should be organized in one file with a table of contents or bookmarks. If material pertains to a specific submission form number, that should be indicated. Requested information should be provided in the submission form and required attachments. There is no guarantee that supplemental materials will be reviewed.

Attachment:

Contact Information

Co.1 Measure Steward (Intellectual Property Owner): College of American Pathologists

Co.2 Point of Contact: [Fay, Shamanski, PhD, fshaman@cap.org, 202-354-7113-](#)

Co.3 Measure Developer if different from Measure Steward: College of American Pathologists

Co.4 Point of Contact: [Fay, Shamanski, PhD, fshaman@cap.org, 202-354-7113-](#)

Additional Information

Ad.1 Workgroup/Expert Panel involved in measure development

Provide a list of sponsoring organizations and workgroup/panel members' names and organizations. Describe the members' role in measure development.

[Our expert panel included 14 members including pathologists, surgeons, radiologists and methodologists.](#)

[David L. Witte, MD, PhD, FCAP \(Co-Chair, pathology\)](#)

[Susan R. Snyder, PhD, MBA \(Co-Chair, methodology\)](#)

[Nancy Baxter, MD, PhD \(colorectal surgery\)](#)

[Joel V. Brill, MD, AGAF, FACG, CHCQM \(gastroenterology\)](#)

[Patrick Fitzgibbons, MD, FCAP \(pathology\)](#)

[M. Kay Washington, MD, PhD, FCAP \(pathology\)](#)

[Mario Gonzalez, MD, FCAP, FASCP \(pathology\)](#)

[Richard M Gore, MD, FACR \(diagnostic radiology\)](#)

[Dana Marie Grzybicki, MD, PhD \(pathology\)](#)

[Harvey W. Kaufman, MD, FCAP\(pathology\)](#)

[Jonathon Myles, MD, FCAP \(pathology\)](#)

[Raouf E. Nakhleh, MD, FCAP \(pathology\)](#)

[Felicia Nicholson, RN, BSN \(health plan representative\)](#)

[Omar Yousef, MD, FCAP \(pathology\)](#)

Measure Developer/Steward Updates and Ongoing Maintenance

Ad.2 Year the measure was first released: [2007](#)

Ad.3 Month and Year of most recent revision: [09, 2010](#)

Ad.4 What is your frequency for review/update of this measure? [Coding/Specifications updates occur annually. See additional information below:](#)

Ad.5 When is the next scheduled review/update for this measure? [12, 2012](#)

Ad.6 Copyright statement:

Ad.7 Disclaimers:

Ad.8 Additional Information/Comments: [Coding/Specifications updates occur annually. The PCPI has a formal measurement review process that stipulates regular \(usually on a three-year cycle, when feasible\) review of the measures. The process can also be activated if there is a major change in scientific evidence, results from testing or other issues are noted that materially affect the integrity of the measure.](#)