

	Measure 0383: Oncology: Medical and Radiation - Plan of Care for Pain (American Society of Clinical Oncology)
Description	Percentage of visits for patients, regardless of age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy who report having pain with a documented plan of care to address pain.
Numerator	<p>Patient visits that include a documented plan of care* to address pain.</p> <p>*A documented plan of care may include: use of non-opioid analgesics, opioids, psychological support, patient and/or family education, referral to a pain clinic, or reassessment of pain at an appropriate time interval.</p>
Numerator Details	<p>Patient visits that included a documented plan of care to address pain.</p> <p>Time Period for Data Collection: At each visit within the measurement period for patients with a diagnosis of cancer and in which pain is present.</p> <p>Guidance: A documented outline of care for a positive pain assessment is required. May include: use of non-opioid analgesics, opioids, psychological support, patient and/or family education, referral to a pain clinic, or reassessment of pain at an appropriate time interval.</p>
Denominator	All visits for patients, regardless of age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy who report having pain
Denominator Details	<p>Time Period for Data Collection: 12 consecutive months</p> <p>Denominator Criteria (Eligible Cases):</p> <p>For all eligible patient encounters when pain severity quantified and pain is present (e.g., CPT II: 1125F is submitted in the numerator for NQF 0384) for patients regardless of age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy.</p> <p>Guidance: This measure is an episode-of-care measure; the level of analysis for this measure is every visit for patients with a diagnosis of cancer who are also currently receiving chemotherapy or radiation therapy and a positive pain assessment during the measurement period. For patients receiving radiation therapy, pain intensity should be quantified at each radiation treatment management encounter. For patients receiving chemotherapy, pain intensity should be quantified at each face-to-face encounter with the physician while the patient is currently receiving chemotherapy.</p> <p>All visits for patients, regardless of age AND Diagnosis of cancer AND Patient encounter during the performance period AND Patient reported pain was present AND</p>

	Radiation treatment management encounter OR Face-to-face encounter with the physician while the patient is currently receiving chemotherapy
Exclusions	None
Exclusion details	N/A, no denominator exclusion
Risk Adjustment	No risk adjustment or risk stratification
Stratification	N/A, no risk stratification
Type	Process
Type of Score	Rate/proportion
Data Source	Paper Medical Records, Registry Data
Level	Clinician : Group/Practice
Setting	Outpatient Services

Created on: 08/01/2020 at 02:30 AM

	Measure 0386: Oncology: Cancer Stage Documented (American Society of Clinical Oncology)
Description	Percentage of patients, regardless of age, with a diagnosis of cancer who are seen in the ambulatory setting who have cancer staging documented using any standardized system or documentation that the cancer is metastatic in the medical record within one month of first office visit
Numerator	Patients who have cancer staging documented using any standardized system or documentation that the cancer is metastatic in the medical record within one month of the first office visit
Numerator Details	<p>Numerator Instructions:</p> <ul style="list-style-type: none"> For certain malignancies, staging or classification systems included in the AJCC Staging Manual would also satisfy the requirements of this measure (e.g., Ann Arbor). Cancer stage refers to stage at diagnosis. Documentation that the cancer is metastatic at diagnosis would also satisfy the requirements of the measure.
Denominator	All patients, regardless of age, with a diagnosis of cancer who are seen in the ambulatory setting.
Denominator Details	<p>All patients, regardless of age, with a diagnosis of cancer who are seen in the ambulatory setting</p> <p>Eligible patients for this measure are identified by:</p> <p>ICD-10-CM diagnosis codes:</p> <p>C00.0, C00.1, C00.2, C00.3, C00.4, C00.5, C00.6, C00.8, C00.9, C01, C02.0, C02.1, C02.2, C02.3, C02.4, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C05.8, C05.9, C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0, C10.1, C10.2, C10.3, C10.4, C10.8, C10.9, C11.0, C11.1, C11.2, C11.3, C11.8, C11.9, C12, C13.0, C13.1, C13.2, C13.8, C13.9, C15.3, C15.4, C15.5, C15.8, C15.9, C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6, C16.8, C16.9, C17.0, C17.1, C17.2, C17.3, C17.8, C17.9, C18.0, C18.1, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C18.9, C19, C20, C21.0, C21.1, C21.2, C21.8, C22.0, C22.1, C22.2, C22.3, C22.4, C22.7, C22.8, C22.9, C23, C24.0, C24.1, C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9, C30.0, C31.0, C31.1, C32.0, C32.1, C32.2, C32.3, C32.8, C32.9, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92, C37, C38.0, C38.1, C38.2, C38.3, C38.4, C38.8, C40.00, C40.01, C40.02, C40.10, C40.11, C40.12, C40.20, C40.21, C40.22, C40.30, C40.31, C40.32, C40.80, C40.81, C40.82, C40.90, C40.91, C40.92, C41.0, C41.1, C41.2, C41.3, C41.4, C41.9, C43.0, C43.10, C43.11, C43.12, C43.20, C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C44.00, C44.01, C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.191, C44.192, C44.199, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311, C44.319, C44.320, C44.321, C44.329, C44.390, C44.391, C44.399, C44.40, C44.41, C44.42, C44.49, C44.500,</p>

C44.501, C44.509, C44.510, C44.511, C44.519, C44.520, C44.521, C44.529, C44.590, C44.591, C44.599, C44.601, C44.602, C44.609, C44.611, C44.612, C44.619, C44.621, C44.622, C44.629, C44.691, C44.692, C44.699, C44.701, C44.702, C44.709, C44.711, C44.712, C44.719, C44.721, C44.722, C44.729, C44.791, C44.792, C44.799, C44.80, C44.81, C44.82, C44.89, C44.90, C44.91, C44.92, C44.99, C45.0, C45.1, C45.2, C47.0, C47.10, C47.11, C47.12, C47.20, C47.21, C47.22, C47.3, C47.4, C47.5, C47.6, C47.8, C47.9, C48.0, C48.1, C48.2, C48.8, C49.0, C49.10, C49.11, C49.12, C49.20, C49.21, C49.22, C49.3, C49.4, C49.5, C49.6, C49.8, C49.9, C4A.0, C4A.10, C4A.11, C4A.12, C4A.20, C4A.21, C4A.22, C4A.30, C4A.31, C4A.39, C4A.4, C4A.51, C4A.52, C4A.59, C4A.60, C4A.61, C4A.62, C4A.70, C4A.71, C4A.72, C4A.8, C4A.9, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C51.0, C51.1, C51.2, C52, C53.0, C53.1, C53.8, C53.9, C54.0, C54.1, C54.2, C54.3, C54.8, C54.9, C55, C56.1, C56.2, C56.9, C57.00, C57.01, C57.02, C58, C60.0, C60.1, C60.2, C61, C62.00, C62.01, C62.02, C63.00, C63.01, C63.02, C63.10, C63.11, C63.12, C63.2, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0, C69.00, C69.01, C69.02, C69.50, C69.51, C69.52, C69.60, C69.61, C69.62, C73, C7A.00, C7A.010, C7A.011, C7A.012, C7A.019, C7A.020, C7A.021, C7A.022, C7A.023, C7A.024, C7A.025, C7A.026, C7A.029, C7A.090, C7A.091, C7A.092, C7A.093, C7A.094, C7A.095, C7A.096, C7A.098, C7A.1, C7A.8, C81.00, C81.01, C81.02, C81.03, C81.04, C81.05, C81.06, C81.07, C81.08, C81.09, C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19, C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32, C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45, C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78, C81.79, C81.90, C81.91, C81.92, C81.93, C81.94, C81.95, C81.96, C81.97, C81.98, C81.99, C82.00, C82.01, C82.02, C82.03, C82.04, C82.05, C82.06, C82.07, C82.08, C82.09, C82.10, C82.11, C82.12, C82.13, C82.14, C82.15, C82.16, C82.17, C82.18, C82.19, C82.20, C82.21, C82.22, C82.23, C82.24, C82.25, C82.26, C82.27, C82.28, C82.29, C82.30, C82.31, C82.32, C82.33, C82.34, C82.35, C82.36, C82.37, C82.38, C82.39, C82.40, C82.41, C82.42, C82.43, C82.44, C82.45, C82.46, C82.47, C82.48, C82.49, C82.50, C82.51, C82.52, C82.53, C82.54, C82.55, C82.56, C82.57, C82.58, C82.59, C82.60, C82.61, C82.62, C82.63, C82.64, C82.65, C82.66, C82.67, C82.68, C82.69, C82.80, C82.81, C82.82, C82.83, C82.84, C82.85, C82.86, C82.87, C82.88, C82.89, C82.90, C82.91, C82.92, C82.93, C82.94, C82.95, C82.96, C82.97, C82.98, C82.99, C83.10, C83.11, C83.12, C83.13, C83.14, C83.15, C83.16, C83.17, C83.18, C83.19, C83.31, C83.32, C83.33, C83.34, C83.35, C83.36, C83.37, C83.38, C83.39, C83.70, C83.71, C83.72, C83.73, C83.74, C83.75, C83.76, C83.77, C83.78, C83.79, C83.80, C83.81, C83.82, C83.83, C83.84, C83.85, C83.86, C83.87, C83.88, C83.89, C84.00, C84.01, C84.02, C84.03, C84.04, C84.05, C84.06, C84.07, C84.08, C84.09, C84.10, C84.11, C84.12, C84.13, C84.14, C84.15, C84.16, C84.17, C84.18, C84.19, C84.40, C84.41, C84.42, C84.43, C84.44, C84.45, C84.46, C84.47, C84.48, C84.49, C84.60, C84.61, C84.62, C84.63, C84.64, C84.65, C84.66, C84.67, C84.68, C84.69, C84.70, C84.71,

	C84.72, C84.73, C84.74, C84.75, C84.76, C84.77, C84.78, C84.79, C84.90, C84.91, C84.92, C84.93, C84.94, C84.95, C84.96, C84.97, C84.98, C84.99, C84.A0, C84.A1, C84.A2, C84.A3, C84.A4, C84.A5, C84.A6, C84.A7, C84.A8, C84.A9, C84.Z0, C84.Z1, C84.Z2, C84.Z3, C84.Z4, C84.Z5, C84.Z6, C84.Z7, C84.Z8, C84.Z9, C85.10, C85.11, C85.12, C85.13, C85.14, C85.15, C85.16, C85.17, C85.18, C85.19, C85.20, C85.21, C85.22, C85.23, C85.24, C85.25, C85.26, C85.27, C85.28, C85.29, C85.80, C85.81, C85.82, C85.83, C85.84, C85.85, C85.86, C85.87, C85.88, C85.89, C85.90, C85.91, C85.92, C85.93, C85.94, C85.95, C85.96, C85.97, C85.98, C85.99, C86.0, C86.1, C86.2, C86.3, C86.4, C86.5, C86.6, C88.0, C88.2, C88.3, C88.4, C88.8, C88.9, D03.0, D03.10, D03.11, D03.12, D03.20, D03.21, D03.22, D03.30, D03.39, D03.4, D03.51, D03.52, D03.59, D03.60, D03.61, D03.62, D03.70, D03.71, D03.72, D03.8, D03.9, D37.01, D37.02, D37.030, D37.031, D37.032, D37.039, D37.04, D37.05, D37.09, D37.1, D37.2, D37.3, D37.4, D37.5, D37.6, D37.8, D37.9, D38.0, D38.1, D38.2, D38.3, D38.4, D38.5, D38.6, D39.0, D39.10, D39.11, D39.12, D39.2, D39.8, D39.9, D40.0, D40.10, D40.11, D40.12, D40.8, D40.9, D41.00, D41.01, D41.02, D41.10, D41.11, D41.12, D41.20, D41.21, D41.22, D41.3, D41.4, D41.8, D41.9, D42.0, D42.1, D42.9, D43.0, D43.1, D43.2, D43.3, D43.4, D43.8, D43.9, D44.0, D44.10, D44.11, D44.12, D44.2, D44.3, D44.4, D44.5, D44.6, D44.7, D44.9, D48.0, D48.1, D48.2, D48.3, D48.4, D48.5, D48.60, D48.61, D48.62, D48.7, D48.9, D49.0, D49.1, D49.2, D49.3, D49.4, D49.5, D49.511, D49.512, D49.519, D49.59, D49.6, D49.7, D49.81, D49.89, D49.9, Q85.00, Q85.01, Q85.02, Q85.03, Q85.09 AND CPT® Codes: 77261, 77262, 77263, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215
Exclusions	Patients with a documented case of leukemia, myeloma, or myelodysplastic syndromes (MDS).
Exclusion details	C90.00, C90.10, C90.1, C90.11, C90.20, C90.2, C90.21, C90.30, C90.3, C90.31, C91.00, C91.0, C91, C91.01, C91.10, C91.1, C91.11, C91.30, C91.3, C91.31, C91.40, C91.4, C91.41, C91.50, C91.5, C91.51, C91.60, C91.6, C91.61, C91.90, C91.9, C91.91, C91.A0, C91.A, C91.A1, C91.Z0, C91.Z, C91.Z1, C92.00, C92, C92.0, C92.01, C92.02, C92.10, C92.1, C92.11, C92.20, C92.2, C92.21, C92.30, C92.3, C92.31, C92.40, C92.4, C92.41, C92.50, C92.5, C92.51, C92.60, C92.6, C92.61, C92.90, C92.9, C92.91, C92.A0, C92.A, C92.A1, C92.Z0, C92.Z, C92.Z1, C93.00, C93.0, C93, C93.01, C93.10, C93.1, C93.11, C93.30, C93.3, C93.31, C93.90, C93.9, C93.91, C93.Z0, C93.Z, C93.Z1, C94.00, C94, C94.0, C94.01, C94.20, C94.2, C94.21, C94.30, C94.3, C94.31, C94.40, C94.4, C94.41, C94.6, C94.60, C94.80, C94.8, C94.81, C95.00, C95.0, C95, C95.01, C95.10, C95.1, C95.11, C95.90, C95.9, C95.91, D46.0, D46.00, D46, D46.1, D46.10, D46.20, D46.2, D46.21, D46.22, D46.4, D46.9, D46.40, D46.90, D46.A, D46.B, D46.C, D46.Z
Risk Adjustment	No risk adjustment or risk stratification
Stratification	We encourage the results of this measure to be stratified by race, ethnicity, primary language, and administrative sex.
Type	Process
Type of Score	Rate/proportion
Data Source	Registry Data
Level	Clinician : Group/Practice, Clinician : Individual

Setting	Other:Oncology/Outpatient Clinic; Radiation Oncology Department/Clinic, Outpatient Services
----------------	---

Created on: 08/01/2020 at 02:30 AM

	Measure 1853: Radical Prostatectomy Pathology Reporting (College of American Pathologists)
Description	Percentage of radical prostatectomy pathology reports that include the pT category, the pN category, the Gleason score and a statement about margin status.
Numerator	Numerator: Radical prostatectomy pathology reports that include the pT category, the pN category, Gleason score and a statement about margin status ? Report the following CPT Category II code to confirm the inclusion of the designated elements in a radical prostatectomy pathology report: 3267F –pathology report
Numerator Details	Report the following CPT Category II code to confirm the inclusion of the designated elements in a radical prostatectomy pathology report: 3267F –pathology report
Denominator	All radical prostatectomy pathology reports
Denominator Details	Denominator (Eligible Population): All radical prostatectomy pathology reports CPT code: 88309 - Level VI - Surgical pathology, gross and microscopic examination AND ICD-10 code: C61 – malignant neoplasm of prostate
Exclusions	Documentation of medical reason for exclusion (e.g. specimen originated from other malignant neoplasms, secondary site prostatic carcinomas, and transurethral resections of the prostate (TURP)
Exclusion details	Documentation of medical reason for exclusion (e.g. specimen originated from other malignant neoplasms, secondary site prostatic carcinomas, or transurethral resections of the prostate (TURP) [For patient with appropriate exclusion criteria, report 3267F with modifier 1P.]
Risk Adjustment	No risk adjustment or risk stratification
Stratification	Not applicable
Type	Process
Type of Score	Rate/proportion
Data Source	Claims, Other, Paper Medical Records, Registry Data
Level	Clinician : Group/Practice, Clinician : Individual
Setting	Outpatient Services

Created on: 08/01/2020 at 02:30 AM

	Measure 1854: Barrett's Esophagus (College of American Pathologists)
Description	Percentage of patients with esophageal biopsy reports for Barrett's esophagus that contain a statement about dysplasia and if present the grade of dysplasia.
Numerator	<p>Numerator: Esophageal biopsy reports with the histologic finding of Barrett's mucosa that contain a statement about dysplasia (present, absent, or indefinite; and if present, contains appropriate grading.)</p> <p>3125F Esophageal biopsy report with a statement about dysplasia (present, absent, or indefinite)</p>
Numerator Details	<p>Numerator: Esophageal biopsy reports with the histologic finding of Barrett's mucosa that contain a statement about dysplasia (present, absent, or indefinite; and if present, contains appropriate grading.)</p> <p>3126F Esophageal biopsy report with a statement about dysplasia (present, absent, or indefinite and if present, contains appropriate grading .))</p> <p>G8797 – Specimen site other than anatomic location of esophagus</p>
Denominator	<p>Denominator (Eligible Population): All esophageal biopsy reports that document the presence of Barrett's mucosa.</p> <p>CPT codes:</p> <ul style="list-style-type: none"> • 88305 Level IV – Surgical pathology, gross and microscopic examination <p>AND</p> <p>?ICD-10 codes: K22.70, K22.710, K22.711, K22.719</p>
Denominator Details	<p>The pathology report is needed as well as access to correct coding of claims to identify patients:</p> <p>CPT codes:</p> <ul style="list-style-type: none"> • 88305 Level IV – Surgical pathology, gross and microscopic examination <p>AND</p> <p>ICD-10 codes: K22.70, K22.710, K22.711, K22.719</p>
Exclusions	Documentation of medical reason for not reporting the histologic finding of Barrett's mucosa (eg, malignant neoplasm or absence of intestinal metaplasia).
Exclusion details	Documentation of medical reason for not reporting the histologic finding of Barrett's mucosa (eg, malignant neoplasm or absence of intestinal metaplasia). [For patient with appropriate exclusion criteria, report 3126F with modifier 1P]
Risk Adjustment	No risk adjustment or risk stratification

Stratification	Not applicable
Type	Outcome
Type of Score	Rate/proportion
Data Source	Claims, Other, Paper Medical Records
Level	Clinician : Group/Practice, Clinician : Individual
Setting	Outpatient Services

Created on: 08/01/2020 at 02:30 AM