

## Health and Well-Being Phase 3: NQF-Endorsed<sup>®</sup> Maintenance Standards Under Review

Click the measure numbers to read more about the measure on QPS!

Measure Number	Title	Description	Measure Steward
<u>0032</u>	Cervical Cancer Screening (CCS)	<ul> <li>Percentage of women 21–64 years of age who were screened for cervical cancer using either of the following criteria:</li> <li>Women age 21–64 who had cervical cytology performed every 3 years.</li> <li>Women age 30–64 who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years.</li> </ul>	National Committee for Quality Assurance
0038	Childhood Immunization Status (CIS)	Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DtaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus influenza type B (HiB); three hepatitis B (HepB); one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and a combination rate.	National Committee for Quality Assurance
<u>0039</u>	Flu Vaccinations for Adults Ages 18 and Older	The percentage of adults 18 years of age and older who self-report receiving an influenza vaccine within the measurement period. This measure is collected via the CAHPS 5.0H adults survey for Medicare, Medicaid, and commercial populations. It is reported as two separate rates stratified by age: 18-64 and 65 years of age and older.	National Committee for Quality Assurance
0041	Preventive Care and Screening: Influenza Immunization	Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization	PCP Foundation
0226	Influenza Immunization in the ESRD Population (Facility Level)	Percentage of end stage renal disease (ESRD) patients aged 6 months and older receiving hemodialysis or peritoneal dialysis during the time from October 1 (or when the influenza vaccine became available) to March 31 who either received, were offered and declined, or were determined to have a medical contraindication to the influenza vaccine.	Kidney Care Quality Alliance
0431	Influenza Vaccination Coverage Among Healthcare Personnel	Percentage of healthcare personnel (HCP) who receive the influenza vaccination.	Centers for Disease Control and Prevention

Measure Number	Title	Description	Measure Steward
<u>0680</u>	Percent of Residents or Patients Who Were Assessed and Appropriately Given the Seasonal Influenza Vaccine (short stay)	The measure reports the percentage of short-stay residents or patients who are assessed and appropriately given the seasonal influenza vaccine during the most recently-completed influenza season. The influenza vaccination season (IVS) is defined as beginning on October 1, or when the vaccine first becomes available*, and ends on March 31 of the following year. This measure is based on the NQF's National Voluntary Standards for Influenza and Pneumococcal Immunizations.	Centers for Medicare & Medicaid Services
<u>0681</u>	Percent of Residents Assessed and Appropriately Given the Seasonal Influenza Vaccine (long stay)	The measure reports the percentage of short stay nursing home residents or IRF or LTCH patients who were assessed and appropriately given the pneumococcal vaccine during the 12-month reporting period. This measure is based on data from Minimum Data Set (MDS) 3.0 assessments of nursing home residents, the Inpatient Rehabilitation Facilities Patient Assessment Instrument (IRF-PAI) for IRF patients, and the Long Term Care Hospital (LTCH) Continuity Assessment Record and Evaluation (CARE) Data Set for long-term care hospital patients, using items that have been harmonized across the three assessment instruments. Short-stay nursing home residents are those residents who are discharged within the first 100 days of their nursing home stay.	Centers for Medicare & Medicaid Services
<u>1659</u>	Influenza Immunization	Inpatients age 6 months and older discharged during October, November, December, January, February or March who are screened for influenza vaccine status and vaccinated prior to discharge if indicated.	Centers for Medicare & Medicaid Services