



Medicaid and CHIP (MAC) Scorecard Committee Pre-Meeting Web Meeting

December 14, 2018


Welcome and Review of Meeting Agenda

MAC Scorecard

NQF Project Team

- Debjani Mukherjee, Senior Director
- Ashlie Wilbon, Senior Director
- Shaconna Gorham, Senior Project Manager
- Miranda Kuwahara, Project Manager
- Jordan Hirsch, Project Analyst

Agenda



MAC Scorecard Committee Membership

MAC Scorecard Committee Membership

Committee Chairs (voting)

Harold Pincus, MD

Richard Antonelli, MD

Organizational Members (voting)	Organizational Representative
Aetna Medicaid	Stephanie A. Whyte MD, MBA, CHCQM, CHIE
American Association on Health and Disability	Clarke Ross, DPA
American Association of Nurse Practitioners (AANP)	Sue Kendig, JD, WHNP-BC, FAAPN
American Nurses Association (ANA)	Rhonda Anderson, RN
American Occupational Therapy Association	Joy Hammel, PhD
Anthem Indiana Medicaid	Carla Zachodni, RN, MBA, CPHQ
Association for Community Affiliated Plans (ACAP)	Enrique Martinez-Vidal, MPP
Children's Hospital Association (CHA)	Sally Turbyville, DRPH, MS, MA
Human Services Research Institute	Julie Bershadsky, PhD
Intermountain Health	Josh Romney, MD
National Association of Medicaid Directors (NAMD)	Elizabeth Matney Sarah Brooks
National Association of Pediatric Nurse Practitioners (NAPNAP)	Shayna Dahan, BSN, RN, MSN, CPNP, PMHS
National Partnership for Women & Families	Carol Sakala, PhD, MSPH
Ohio Department of Medicaid	Mary Applegate, MD

MAC Scorecard Committee Membership

Individual Subject Matter Experts (voting)

Kim Elliott, PhD, CPHQ

SreyRam Kuy, MD, MHS, FACS

Julia Logan, MD

Lisa Patton, PhD

Judy Zerzan, MD

Marissa Schlaifer, RPh, MS

Kamala Allen, MHS

David Einzig, MD

Amy Houtrow, MD, PhD, MPH

David Kelley, MD, MPA

Stephen Lawless, BS, MD, MBA, FAAP, FCCM, FSMB

Jill Morrow-Gorton, MD, MBA

Elisabeth Okrant, MPH, MSP, PhD

Kenneth Schellhase, MD, MPH

Jeff Schiff, MD, MBA

Lindsay Cogan, PhD

MAC Scorecard Committee Membership

Federal Government Members (non-voting)

Agency	Agency Representative
Agency for Healthcare Research and Quality (AHRQ)	Kamila Mistry, PhD, MPH
Substance Abuse and Mental Health Services Administration	Laura Jacobus-Kantor, PhD
Centers for Medicare & Medicaid Services (CMS)	Marsha Smith, MD, MPH, FAAP
Health Resources and Services Administration	Suma Nair, MS, RD

Measure Selection Criteria Overview

MAC Scorecard 1.0

Promote Effective Communication and Coordination of Care Domain

NQF 0576: Follow-Up After Hospitalization for Mental Illness

^NQF 1517: Prenatal and Postpartum Care: Postpartum Care

Make Care Safer by Reducing Harm Caused in the Delivery of Care Domain

Use of Multiple Concurrent Antipsychotics: Ages 1-17

Promote Effective Prevention & Treatment of Chronic Diseases Domain

NQF 1392 Well-Child Visits: First 15 Months

NQF 1516 Well-Child Visits: Ages 3-6

Adolescent Well-Care Visits: Ages 12-21

NQF 1407 Immunizations for Adolescents: Age 13

Percentage of Eligibles Who Received Preventive Dental Services: Ages 1-20

NQF 2940 Use of Opioids at High Dosage in Persons Without Cancer

NQF 0004 Initiation & Engagement of Alcohol & Other Drug Dependence Treatment: Age 18 & Older

NQF 0018 Controlling High Blood Pressure: Ages 18-85

Strengthen Engagement in Care Domain

Getting Care Quickly (CAHPS)

Getting Needed Care (CAHPS)

Make Care Affordable Domain

NQF 0272 PQI 01: Diabetes Short-Term Complications Admission Rate

Measure Review Process

- Staff compile Adult and Child Core Set measures into an Excel spreadsheet, providing measure specification information
- Committee members submit measure recommendations from the universe of measures included in the Excel spreadsheet
- Staff complete a preliminary analysis algorithm on each recommended measure
- Only measures recommended for review by Committee members become measures for consideration during the in-person meeting
- Measure specifications and preliminary analysis results will be shared during the in-person meeting via an electronic discussion guide

Tools Used to Guide Measure Review

MAP's Measure Selection Criteria (MSC)

- 1 • NQF-endorsed measures are required for program measure sets, unless no relevant endorsed measures are available to achieve a critical program objective
- 2 • Program measure set actively promotes key healthcare improvement priorities, such as those highlighted in CMS' "Meaningful Measures" Framework
- 3 • Program measure set is responsive to specific program goals and requirements
- 4 • Program measure set includes an appropriate mix of measure types
- 5 • Program measure set enables measurement of person- and family-centered care and services
- 6 • Program measure set includes considerations for healthcare disparities and cultural competency
- 7 • Program measure set promotes parsimony and alignment

MAP Preliminary Analysis Algorithm

- 1) The measure addresses a critical quality objective not adequately addressed by the measures in the program set.
- 2) The measure is evidence-based and is either strongly linked to outcomes or an outcome measure.
- 3) The measure addresses a quality challenge.
- 4) The measure contributes to efficient use of measurement resources and/or supports alignment of measurement across programs.
- 5) The measure can be feasibly reported.
- 6) The measure is applicable to and appropriately specified for the program's intended care setting(s), level(s) of analysis, and population(s).
- 7) If a measure is in current use, no negative unintended issues to the patient have been identified.
- 8) If a measure is in current use, no implementation challenges outweighing the benefit of the measure have been identified.

Measure Recommendations Submitted by Committee Members

Committee Members' Measure Recommendations for Addition and Removal

- Members submitted 50 measure recommendations
 - ▣ *35 Recommendations for Addition*
 - ▣ *7 Recommendations for Removal*
 - ▣ *8 Recommendations did not meet the criteria for consideration*
 - ▣ *Number of unique measure submissions: 25*

Measure Recommendations for Addition

NQF #	Title	Core Set
n/a	Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA-AD)	Adult
0027*	Medical Assistance with Smoking and Tobacco Use Cessation (MSC-AD)	Adult
0038*	Childhood Immunization Status (CIS-CH)**	Child
0039*	Flu Vaccinations for Adults Ages 18 to 64 (FVA-AD)	Adult
0105	Antidepressant Medication Management (AMM-AD)	Adult
0139	Pediatric Central Line-Associated Bloodstream Infections (CLABSI-CH)	Child
0418 / 0418e*	Screening for Depression and Follow-Up Plan	Adult/Child
0471	PC-02: Cesarean Birth (PC02-CH)	Child
1360	Audiological Diagnosis No Later Than 3 Months of Age (AUD-CH)	Child
1448*	Developmental Screening in the First Three Years of Life (DEV-CH)	Child

* Recommended by more than one member

Measure Recommendations for Addition

NQF #	Title	Core Set
1768*	Plan All-Cause Readmissions (PCR-AD)	Adult
1800*	Asthma Medication Ratio: Ages 19–64 (AMR-AD)	Adult
1932*	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD-AD)	Adult
2372*	Breast Cancer Screening (BCS-AD)	Adult
2605*	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (FUA/FUM-AD)	Adult
2607	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPCMI-AD)	Adult
2801	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	Child
2902	Contraceptive Care – Postpartum Women	Adult/Child
2903 / 2904*	Contraceptive Care – All Women	Adult/Child

* Recommended by more than one member

Measure Recommendations for Removal

Promote Effective Communication and Coordination of Care Domain

^NQF 1517: Prenatal and Postpartum Care: Postpartum Care

Make Care Safer by Reducing Harm Caused in the Delivery of Care Domain

Use of Multiple Concurrent Antipsychotics: Ages 1-17

Promote Effective Prevention & Treatment of Chronic Diseases Domain

NQF 1392 Well-Child Visits: First 15 Months

Adolescent Well-Care Visits: Ages 12-21

*NQF 2940 Use of Opioids at High Dosage in Persons Without Cancer

NQF 0018 Controlling High Blood Pressure: Ages 18-85

* Recommended by more than one member

^ No longer NQF-endorsed

Discussion Questions

- Should we organize the discussion of potential measures based on the Scorecard domains?



Update: Medicaid & CHIP Scorecard (Summer 2019)



NQF Meeting

*Karen Llanos, Director Medicaid
Innovation Accelerator Program
Center for Medicaid and CHIP
Services, CMS*

December 14, 2018

Timeline for Next Scorecard Releases

- Jun. – Oct. 2018: CMCS identified candidate measures for the next Scorecard releases
- Aug. 2018: CMCS began meeting with a group of state officials on a monthly basis to receive feedback on candidate measures
- Nov. 2018-Jan. 2019: CMCS plans to finalize new measures for next Scorecard releases, reflecting state, stakeholder, and Administrator feedback
- Apr. -Jun. 2019: State Medicaid agency reviews, final edits, clearances, and **second release** of Scorecard (Focus of today's update)
- Jun. - Nov. 2019: State Medicaid agency reviews, final edits, clearances, and **third release** of Scorecard (Focus of NQF Committee)

Developing the Scorecard

- At a minimum the candidate measures should:
 - Map to one of the pillars and domains
 - Have some level of validation
 - Be recent
 - Be available for 25 or more states
 - Fill a gap area from Scorecard 1.0
- In addition, measures in the State Health System Performance pillar must be publicly reported

Measure Candidates Under Consideration by CMCS (Summer 2019)

State Health System Performance Pillar

Domain	Measure	Source
Promote Effective Communication & Coordination of Care	Follow-Up After Hospitalization for Mental Illness: Ages 6 – 20 (candidate)	Child Core Set
	Follow-Up After Hospitalization for Mental Illness: Ages 21 and older	Adult Core Set
	Prenatal & Postpartum Care: Postpartum Care	Adult Core Set
Make Care Safer by Reducing Harm Caused in the Delivery of Care	Use of Multiple Concurrent Antipsychotics in Children & Adolescents	Child Core Set
	Percentage of long-stay residents who received an antipsychotic medication (candidate)	Nursing Home Compare
Make Care Affordable	Ambulatory Care: Emergency Department Visits (candidate)	Child Core Set
	PQI 01: Diabetes Short-Term Complications Admission Rate	Adult Core Set
	PQI 05: COPD or Asthma in Older Adults Admission Rate (candidate)	Adult Core Set

Measure Candidates Under Consideration by CMCS (Summer 2019)

State Health System Performance Pillar

Domain	Measure	Source
Promote Effective Prevention & Treatment of Chronic Diseases	Live Births Weighing Less Than 2,500 Grams (candidate)	Child Core Set
	Well-Child Visits in the First 15 Months of Life	Child Core Set
	Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life	Child Core Set
	Adolescent Well-Care Visits	Child Core Set
	Immunizations for Adolescents	Child Core Set
	Percentage of Eligibles who Received Preventive Dental Services	Child Core Set
	Breast Cancer Screening (candidate)	Adult Core Set
	Cervical Cancer Screening (candidate)	Adult Core Set
	Diabetes Screening for People with Schizophrenia or Bipolar Disorder Using Antipsychotics (candidate)	Adult Core Set
	Comprehensive Diabetes Care: Hemoglobin A1c Poor Control (>9.0%) (candidate)	Adult Core Set
	Controlling High Blood Pressure	Adult Core Set
	Initiation & Engagement of Alcohol & Other Drug Dependence Treatment	Adult Core Set
	Use of Opioids at High Dosage in Persons without Cancer	Adult Core Set
	-Rate for dually eligible beneficiaries	

Measure Candidates Under Consideration by CMCS (Summer 2019)

State Health System Performance Pillar

Domain	Measure	Source
Strengthen Person & Family Engagement as Partners in their Care	<i>Placeholder or National CAHPS data (2014)</i>	<i>To be determined</i>
Working with Communities to Promote Best Practices of Healthy Living	Nursing Facility Long-Stay Hospitalization Rate (candidate)	Nursing Home Compare

CMS Process for Review & Feedback (Summer 2019 Release)

- Internal Center-wide discussions to identify candidate measures
- National Association of Medicaid Directors' Advisory Group provides feedback across all three pillars
- Non-state stakeholder listen sessions provide feedback to CMCS
- Internal CMS discussions across other components to ensure alignment with broader CMS reporting activities
- Administrator review and sign off

Questions?

Looking Ahead to the In-Person Meeting

Review of the Voting Process

Review of Voting Process

Voting on Measures

- Committee members who recommend measures for discussion will be assigned as lead discussants during the in-person meeting
 - ▣ *Lead discussants will introduce the measure, highlighting specifications and its value to the Scorecard*
 - ▣ *Lead discussants will liaise with measure developers to ensure availability during the meeting*
- Ensuing discussions will include all Committee members
- Public comments will be solicited after Committee discussions
- After discussion of each measure and public comments, the Committee will vote on the measure

Decision Categories

- Committee must reach a decision about every measure discussed
 - ▣ Each decision should be accompanied by one or more statements of rationale that explains why each decision was reached
- Decision categories include:
 - » Support
 - » Support with conditions
 - » Do not support
- Tallying the votes:
 - ▣ *Quorum - 66% of Committee required to be present for voting*
 - ▣ *≥60% of votes denote the result of voting*

Voting Decision Categories

SUPPORT

- Ready for immediate use
- Relevant to all stages of life
- Outcome measures

CONDITIONAL SUPPORT

- Pending endorsement from NQF
- Pending CMS confirmation of feasibility

DO NOT SUPPORT

- Measure and/or measure focus inappropriate or a poor fit for the Scorecard
- Duplication of efforts
- Resource constraints
- State Medicaid agencies will need to tweak and/or vary the level of analysis to increase measure adoption and implementation

Abbreviated In-Person Meeting Agenda

Day 1:

- Welcome, Introductions of Committee Members, and Disclosures of Interest
- Committee Overview and Key Points from Staff Review of Scorecard
- Key Considerations from CMCS
- Measure-Specific Recommendations on Strengthening the Scorecard

Day 2:

- Measure-Specific Recommendations on Strengthening the Scorecard
- Ranking of Measure Recommendations
- MAC Scorecard Measures to Drive Change in Health System Performance

Review of Key Resources

- Discussion Guide Tool, which includes:
 - ▣ *Measure specifications*
 - ▣ *Staff preliminary analyses*
- State performance data from FFY 2017
- CMS' technical specifications

Questions?

Public Comment

Next Steps

Important Dates

- **January 10-11:** In-person meeting
- **January 16:** Post-meeting web meeting
- **February 25 to March 27:** Draft report posted for public comment
- **April 25:** Post-comment web meeting
- **May 29:** Strategic Considerations web meeting #1
- **June 26:** Strategic Considerations web meeting #2
- **July 29:** Strategic Considerations web meeting #3
- **September 9:** Final report due to CMCS and made available to the public

Project Contact Info

- Email: macscorecard@qualityforum.org
- NQF phone: 202-783-1300
- Project page:
http://www.qualityforum.org/MAC_Scorecard.aspx
- SharePoint site:
<http://share.qualityforum.org/Projects/MAC%20Scorecard/SitePages/Home.aspx>

Thank You for Participating!