

NATIONAL QUALITY FORUM

Population Health: Prevention EM

Phase 1: Screening and Immunization Measures

Measure ID/ Title	Measure Description	Measure Steward	Topic Area
#0031 Breast Cancer Screening	Percentage of eligible women 40-69 who receive a mammogram in a two year period.	National Committee for Quality Assurance	Screening
#0032 Cervical Cancer Screening	Percentage of women 21-64 years of age received one or more Pap tests to screen for cervical cancer.	National Committee for Quality Assurance	Screening
#0033 Chlamydia Screening in Women	Assesses the percentage of women 16-24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.	National Committee for Quality Assurance	Screening
#0034 Colorectal Cancer Screening	The percentage of members 50-75 years of age who had appropriate screening for colorectal cancer.	National Committee for Quality Assurance	Screening
#0037 Osteoporosis Testing in Older Women	Percentage of female patients aged 65 and older who reported receiving a bone density test (BMD) to check for osteoporosis.	National Committee for Quality Assurance	Screening
#0038 Childhood Immunization Status	Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DtaP); three polio (IPV); one measles, mumps and rubella (MMR); three H influenza type B (HiB); three hepatitis B (HepB); one chicken pox (VZV); four pneumococcal conjugate (PCV); two hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and nine separate combination rates.	National Committee for Quality Assurance	Immunization
#0039 Flu Shots for Adults Ages 50 and Over	<p>This measure represents the percentage of adults aged 50 and over who received an influenza vaccine within the measurement period within the respective age-stratified CAHPS surveys. This measure is only reported by age group stratification. The terms FSA and FSO, defined below, will be used to identify any differences between the two age stratifications.</p> <p>FSA - A rolling average represents the percentage of members 50-64 years of age who received an influenza vaccination between September 1 of the measurement year and the date on which the CAHPS 4.0H adult survey was completed.</p> <p>FSO - The percentage of Medicare members 65 years of age and older who received an influenza vaccination between September 1 of the measurement year and the date on which the Medicare CAHPS survey was completed.</p>	National Committee for Quality Assurance	Immunization

Measure ID/ Title	Measure Description	Measure Steward	Topic Area
#0041 Influenza Immunization	Percentage of patients aged 6 months and older seen for a visit between October 1 and the end of February of the one-year measurement period who have documented administration of influenza immunization OR patient reported previous receipt of an influenza immunization.	American Medical Association- Physician Consortium for Performance Improvement	Immunization
#0043 Pneumonia vaccination status for older adults	Percentage of patients 65 years of age and older who ever received a pneumococcal vaccination.	National Committee for Quality Assurance	Immunization
#0226 Influenza Immunization in the ESRD Population (Facility Level)	Percentage of end stage renal disease (ESRD) patients aged 6 months and older receiving hemodialysis or peritoneal dialysis during the time from October 1 (or when the influenza vaccine became available) to March 31 who either received, were offered and declined, or were determined to have a medical contraindication to the influenza vaccine.	Kidney Care Quality Alliance	Immunization
#0431 Influenza Vaccination Coverage Among Healthcare Personnel	Percentage of healthcare personnel (HCP) who receive the influenza vaccination.	Centers for Disease Control and Prevention	Immunization
#0522 Influenza Immunization Received for Current Flu Season	Percentage of home health episodes of care during which patients received influenza immunization for the current flu season.	Centers for Medicare & Medicaid Services	Immunization
#0525 Pneumococcal Polysaccharide Vaccine (PPV) Ever Received	Percentage of home health episodes of care during which patients were determined to have ever received Pneumococcal Polysaccharide Vaccine (PPV).	Centers for Medicare & Medicaid Services	Immunization
#0579 Annual Cervical Cancer Screening for High-Risk Patients	This measure identifies women age 12 to 65 diagnosed with cervical dysplasia (CIN 2), cervical carcinoma-in-situ, or HIV/AIDS prior to the measurement year, and who still have a cervix, who had a cervical CA screen during the measurement year.	Resolution Health, Inc.	Screening
#0614 Steroid Use - Osteoporosis Screening	The percentage of patients, 18 and older, who have been on chronic steroids for at least 180 days in the past 9 months and who had a bone density evaluation or osteoporosis treatment.	ActiveHealth Management	Screening
#0617 High Risk for Pneumococcal Disease - Pneumococcal Vaccination	The percentage of patients age 5-64 with a high risk condition or age 65 years and older who received a pneumococcal vaccine.	ActiveHealth Management	Immunization
#0629 Male Smokers or Family History of Abdominal Aortic Aneurysm (AAA) - Consider Screening for AAA	The percentage of men age 65-75 years with history of tobacco use or men age 60 years and older with a family history of abdominal aortic aneurysm who were screened for AAA.	ActiveHealth Management	Screening

Measure ID/ Title	Measure Description	Measure Steward	Topic Area
#1653 Pneumococcal Immunization (PPV 23)	Inpatients age 65 years and older and 6-64 years of age who have a high risk condition who are screened for 23-valent Pneumococcal Polysaccharide Vaccine (PPV23)status and vaccinated prior to discharge if indicated.	Centers for Medicare & Medicaid Services	Immunization
#1659 Influenza Immunization	Inpatients age 6 months and older discharged during October, November, December, January, February or March who are screened for influenza vaccine status and vaccinated prior to discharge if indicated.	Centers for Medicare & Medicaid Services	Immunization